

## SEARCH REQUEST FORM

Scientific and Technical Information Center

Requester's Full Name: Ann-Maree Koss Examiner #: 78972 Date: 4/23/02  
 Art Unit: 1751 Phone Number 30 53176 Serial Number: 09/881807  
 Mail Box and Bldg/Room Location: C13 9830 Results Format Preferred (circle): PAPER DISK E-MAIL

If more than one search is submitted, please prioritize searches in order of need.

\*\*\*\*\*  
 Please provide a detailed statement of the search topic, and describe as specifically as possible the subject matter to be searched. Include the elected species or structures, keywords, synonyms, acronyms, and registry numbers, and combine with the concept or utility of the invention. Define any terms that may have a special meaning. Give examples or relevant citations, authors, etc, if known. Please attach a copy of the cover sheet, pertinent claims, and abstract.

Title of Invention: \_\_\_\_\_

Inventors (please provide full names): Ascone et al

Earliest Priority Filing Date: \_\_\_\_\_

*\*For Sequence Searches Only\* Please include all pertinent information (parent, child, divisional, or issued patent numbers) along with the appropriate serial number.*

Please search compound of formula I (claim 1)  
 and III (claim 8).

Thanks.

## STAFF USE ONLY

	Type of Search	Vendors and cost where applicable
Searcher: <u>K. Fuller</u>	NA Sequence (#) _____	STN <u>✓</u>
Searcher Phone #: _____	AA Sequence (#) _____	Dialog _____
Searcher Location: _____	Structure (#) <u>1</u>	Questel/Orbit _____
Date Searcher Picked Up: _____	Bibliographic _____	Dr. Link _____
Date Completed: <u>5/1/02</u>	Litigation _____	Lexis/Nexis _____
Searcher Prep & Review Time: <u>20</u>	Fulltext _____	Sequence Systems _____
Clerical Prep Time: _____	Patent Family _____	WWW/Internet _____
Online Time: <u>53</u>	Other _____	Other (specify) _____

=> file reg  
 FILE 'REGISTRY' ENTERED AT 17:48:09 ON 01 MAY 2002  
 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.  
 PLEASE SEE "HELP USAGETERMS" FOR DETAILS.  
 COPYRIGHT (C) 2002 American Chemical Society (ACS)

STRUCTURE FILE UPDATES: 30 APR 2002 HIGHEST RN 409303-45-3  
 DICTIONARY FILE UPDATES: 30 APR 2002 HIGHEST RN 409303-45-3

TSCA INFORMATION NOW CURRENT THROUGH July 7, 2001

Please note that search-term pricing does apply when  
 conducting SmartSELECT searches.

Crossover limits have been increased. See HELP CROSSOVER for details.

Calculated physical property data is now available. See HELP PROPERTIES  
 for more information. See STNote 27, Searching Properties in the CAS  
 Registry File, for complete details:  
<http://www.cas.org/ONLINE/STN/STNOTES/stnotes27.pdf>

=> file hcaplus  
 FILE 'HCAPLUS' ENTERED AT 17:48:14 ON 01 MAY 2002  
 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.  
 PLEASE SEE "HELP USAGETERMS" FOR DETAILS.  
 COPYRIGHT (C) 2002 AMERICAN CHEMICAL SOCIETY (ACS)


Copyright of the articles to which records in this database refer is  
 held by the publishers listed in the PUBLISHER (PB) field (available  
 for records published or updated in Chemical Abstracts after December  
 26, 1996), unless otherwise indicated in the original publications.  
 The CA Lexicon is the copyrighted intellectual property of the  
 the American Chemical Society and is provided to assist you in searching  
 databases on STN. Any dissemination, distribution, copying, or storing  
 of this information, without the prior written consent of CAS, is  
 strictly prohibited.

FILE COVERS 1907 - 1 May 2002 VOL 136 ISS 18  
 FILE LAST UPDATED: 30 Apr 2002 (20020430/ED)

This file contains CAS Registry Numbers for easy and accurate  
 substance identification.

CAS roles have been modified effective December 16, 2001. Please  
 check your SDI profiles to see if they need to be revised. For  
 information on CAS roles, enter HELP ROLES at an arrow prompt or use  
 the CAS Roles thesaurus (/RL field) in this file.

=> d que  
 L34



*Covers*  
*claim 1 + 8*

*4,540 polymers*

VAR G1=AK/CB  
 VAR G2=AK/CB  
 NODE ATTRIBUTES:  
 DEFAULT MLEVEL IS ATOM  
 DEFAULT ECLEVEL IS LIMITED

GRAPH ATTRIBUTES:  
 RSPEC I  
 NUMBER OF NODES IS 10

STEREO ATTRIBUTES: NONE

L36 SCR 2040  
 L38 SCR 2043  
 L40 4540 SEA FILE=REGISTRY SSS FUL L34 AND L36 AND L38  
 L41 98 SEA FILE=REGISTRY ABB=ON L40 AND 1/NC  
 L42 468 SEA FILE=REGISTRY ABB=ON L40 AND HOMOPOLYMER  
 L43 1229 SEA FILE=HCAPLUS ABB=ON L41 OR L42  
 L44 17 SEA FILE=HCAPLUS ABB=ON L43 AND FATTY(3A) (ALC OR ALCOHOL?)  
 L45 3 SEA FILE=HCAPLUS ABB=ON L44 AND FATTY(5A)?AMIDE?  
 L47 8 SEA FILE=HCAPLUS ABB=ON L44 AND (?ETHOXYLAT? OR ?ALKOXYLAT?  
 OR ?PROPOXYLAT? OR ?METHOXYLAT?)  
 L48 9 SEA FILE=HCAPLUS ABB=ON L45 OR L47  
 L49 5567 SEA FILE=HCAPLUS ABB=ON L40  
 L50 38 SEA FILE=HCAPLUS ABB=ON L49 AND FATTY(3A) (ALC OR ALCOHOL?)  
 L51 14 SEA FILE=HCAPLUS ABB=ON L50 AND (?ETHOXYLAT? OR ?ALKOXYLAT?  
 OR ?PROPOXYLAT? OR ?METHOXYLAT?)  
 L52 6 SEA FILE=HCAPLUS ABB=ON L50 AND FATTY(5A)?AMIDE?  
 L53 16 SEA FILE=HCAPLUS ABB=ON L48 OR L51 OR L52  
 L54 12 SEA FILE=HCAPLUS ABB=ON L43 AND OXID?(3A)AGENT#  
 L55 33 SEA FILE=HCAPLUS ABB=ON L49 AND OXID?(3A)AGENT#  
 L56 4 SEA FILE=HCAPLUS ABB=ON L55 AND FATTY  
 L58 26 SEA FILE=HCAPLUS ABB=ON L53 OR L54 OR L56  
 L59 18 SEA FILE=HCAPLUS ABB=ON L55 AND (COMPOSITION? OR COMPNS)  
 L60 35 SEA FILE=HCAPLUS ABB=ON L58 OR L59  
 L62 24 SEA FILE=HCAPLUS ABB=ON L60 AND COSMETIC?/SC,SX  
 L74 138 SEA FILE=HCAPLUS ABB=ON L43 AND ?GLYCOL?  
 L77 9 SEA FILE=HCAPLUS ABB=ON L74 AND FATTY(4A) (ALC OR ALCOHOL# OR  
 ?AMIDE?)  
 L78 27 SEA FILE=HCAPLUS ABB=ON L62 OR L77

=> d 178 all 1-27 hitstr

27 CA references

L78 ANSWER 1 OF 27 HCAPLUS COPYRIGHT 2002 ACS  
 AN 2001:56855 HCAPLUS  
 DN 134:120575  
 TI Second agents for hair permanent waving, and method therefor  
 IN Kawai, Hirotake; Nakamura, Yoshimi; Tsuge, Mari  
 PA Hoyu K. K., Japan  
 SO Jpn. Kokai Tokkyo Koho, 7 pp.  
 CODEN: JKXXAF

DT Patent  
 LA Japanese  
 IC ICM A61K007-09  
 CC 62-3 (Essential Oils and Cosmetics)  
 FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	JP 2001019625	A2	20010123	JP 1999-193093	19990707
AB	The invention relates to a second agent <b>compn.</b> for hair				

permanent waving, which provides sufficient permanent waving without a step of intermediate rinsing after using a 1st agent, wherein the **compn.** contains (1) **oxidizing agent**, (2) half ester of itaconic acid and polyoxyethylene alkyl ether, an ester of methacrylic acid and polyoxyethylene alkyl ether, and/or a (meth)acrylate-contg. anionic polymer. A hair permanent waving 2nd agent contg. sodium bromate 7.5, acylates/Steareth-20 itaconate copolymer 1, fragrance 0.1, POB lauryl ether 0.3, keratin hydrolyzate 0.5, and citrates and water q.s. to 100 % was prepd.

ST hair permanent waving acrylate Steareth itaconate copolymer

IT Polyelectrolytes  
(anionic; hair permanent waving 2nd **agents** contg. **oxidizing agents** contg. polyoxyethylene alkyl ether itaconates or polyoxyethylene alkyl ether methacrylate or (meth)acrylate-contg. anionic polymers)

IT Polyelectrolytes  
(cationic; hair permanent waving 2nd **agents** contg. **oxidizing agents** contg. polyoxyethylene alkyl ether itaconates or polyoxyethylene alkyl ether methacrylate or (meth)acrylate-contg. anionic polymers and cationic polymers)

IT Hair preparations  
(permanent wave; hair permanent waving 2nd **agents** contg. **oxidizing agents** contg. polyoxyethylene alkyl ether itaconates or polyoxyethylene alkyl ether methacrylate or (meth)acrylate-contg. anionic polymers)

IT 79-10-7D, Acrylic acid, polymers 7722-84-1, Hydrogen peroxide, biological studies 7789-38-0, Sodium bromate 321327-97-3 321327-99-5  
RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses)

(hair permanent waving 2nd **agents** contg. **oxidizing agents** contg. polyoxyethylene alkyl ether itaconates or polyoxyethylene alkyl ether methacrylate or (meth)acrylate-contg. anionic polymers)

IT 26590-05-6, Dimethyldiallylammoniumchloride-acrylamide copolymer 54351-50-7 **99588-80-4**, N,N-Dimethyl aminoethyl methacrylate-vinylpyrrolidone diethylsulfate copolymer  
RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses)

(hair permanent waving 2nd **agents** contg. **oxidizing agents** contg. polyoxyethylene alkyl ether itaconates or polyoxyethylene alkyl ether methacrylate or (meth)acrylate-contg. anionic polymers and cationic polymers)

IT **99588-80-4**, N,N-Dimethyl aminoethyl methacrylate-vinylpyrrolidone diethylsulfate copolymer  
RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses)

(hair permanent waving 2nd **agents** contg. **oxidizing agents** contg. polyoxyethylene alkyl ether itaconates or polyoxyethylene alkyl ether methacrylate or (meth)acrylate-contg. anionic polymers and cationic polymers)


RN 99588-80-4 HCAPLUS

CN Ethanaminium, N-ethyl-N,N-dimethyl-2-[(2-methyl-1-oxo-2-propenyl)oxy]-, ethyl sulfate, polymer with 1-ethenyl-2-pyrrolidinone (9CI) (CA INDEX NAME)

CM 1

CRN 88-12-0

CMF C6 H9 N O



CM 2


CRN 13223-03-5

CMF C10 H20 N O2 . C2 H5 O4 S

CM 3

CRN 48063-69-0

CMF C10 H20 N O2



CM 4

CRN 48028-76-8

CMF C2 H5 O4 S

Et-O-SO<sub>3</sub><sup>-</sup>

L78 ANSWER 2 OF 27 HCAPLUS COPYRIGHT 2002 ACS

AN 2000:114381 HCAPLUS

DN 132:156549

TI Photoprotective skin care compositions comprising sunscreens, structuring agent, and surfactants

IN Tanner, Paul Robert; Wagner, Julie Ann; Irwin, Christopher

PA The Procter &amp; Gamble Company, USA

SO U.S., 13 pp., Cont.-in-part of U.S. 5,759,202.

CODEN: USXXAM

DT Patent

LA English

IC ICM A61K007-42

NCL 424059000

CC 62-4 (Essential Oils and Cosmetics)

FAN.CNT 2

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	US 6024942	A	20000215	US 1997-986956	19971208
	US 5759524	A	19980602	US 1996-599202	19960209
	CN 1213296	A	19990407	CN 1997-192949	19970124
PRAI	US 1996-599202	A2	19960209		

AB The present invention relates to leave on, skin care compns., comprising:

KATHLEEN FULLER EIC 1700/LAW LIBRARY 308-4290

(a) from about 0.1% to about 30% of a sunscreen active, (b) from about 0.5% to about 20% of a hydrophobic, structuring agent, (c) from about 0.2% to about 10% of a hydrophilic surfactant, (d) from about 0.1% to about 5% of a thickening agent, (e) from about 0.1% to about 25% of a skin lightening agent and (f) water. These compns. are useful for providing (i) protection to human skin from the harmful effects of UV radiation and (ii) a skin lightening benefit. Formulations of 3 compns. contg. 6.0% octyl methoxycinnamate are disclosed.

ST photoprotection skin care sunscreen surfactant thickener

IT Alcohols, uses

RL: POF (Polymer in formulation); USES (Uses)

(C16-18, **ethoxylated**; photoprotective skin care compns.

comprising sunscreens, structuring agent, and surfactants)

IT Surfactants

(amphoteric; photoprotective skin care compns. comprising sunscreens, structuring agent, and surfactants)

IT Surfactants

(cationic; photoprotective skin care compns. comprising sunscreens, structuring agent, and surfactants)

IT Acrylic polymers, biological studies

RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses)

(crosslinked; photoprotective skin care compns. comprising sunscreens, structuring agent, and surfactants)

IT **Glycols**, biological studies

**Glycols**, biological studies

RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses)

(ethers, C16-30; photoprotective skin care compns. comprising sunscreens, structuring agent, and surfactants)

IT **Alcohols**, biological studies

RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses)

(**fatty, ethoxylated**, C16-30; photoprotective skin care compns. comprising sunscreens, structuring agent, and surfactants)

IT Ethers, biological studies

Ethers, biological studies

RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses)

(**glycol**, C16-30; photoprotective skin care compns. comprising sunscreens, structuring agent, and surfactants)

IT Carboxylic acids, biological studies

RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses)

(hydroxy, polymers; photoprotective skin care compns. comprising sunscreens, structuring agent, and surfactants)

IT Surfactants

(ionic; photoprotective skin care compns. comprising sunscreens, structuring agent, and surfactants)

IT Surfactants

(nonionic; photoprotective skin care compns. comprising sunscreens, structuring agent, and surfactants)

IT Crosslinking agents

Photoprotectants

Placenta

Sunscreens

Surfactants

Thickening agents

(photoprotective skin care compns. comprising sunscreens, structuring agent, and surfactants)

IT Polysaccharides, biological studies  
 Quaternary ammonium compounds, biological studies  
 RL: BUU (Biological use, unclassified); BIOL (Biological study); USES  
 (Uses)  
 (photoprotective skin care compns. comprising sunscreens, structuring  
 agent, and surfactants)

IT Cosmetics  
 (skin-lightening; photoprotective skin care compns. comprising  
 sunscreens, structuring agent, and surfactants)

IT Surfactants  
 (zwitterionic; photoprotective skin care compns. comprising sunscreens,  
 structuring agent, and surfactants)

IT 50-81-7, L-Ascorbic acid, biological studies 58-95-7, Vitamin e acetate  
 98-92-0, Vitamin B3 118-56-9 131-57-7, Oxybenzone 150-13-0,  
 p-Aminobenzoic acid 497-76-7, Arbutin 501-30-4, Kojic acid  
 1314-13-2, Zinc oxide, biological studies 1332-37-2, Iron oxide,  
 biological studies 5466-77-3, 2-Ethylhexyl p-methoxycinnamate  
 6197-30-4, Octocrylene 6969-49-9, Octyl salicylate 9003-05-8,  
 Polyacrylamide 9003-39-8D, Pvp, crosslinked 13463-67-7, Titanium  
 dioxide, biological studies 15087-24-8, 3-Benzylidene camphor  
 21245-02-3, 2-Ethylhexyl N,N-dimethyl-p-aminobenzoate 27100-68-1D,  
 Maleic anhydride-vinyl ether copolymer, crosslinked 27503-81-7,  
 2-Phenylbenzimidazole-5-sulfonic acid 36861-47-9, 3-(4-  
 Methylbenzylidene)camphor 43119-47-7, Tocopheryl nicotinate 56265-46-4  
 63250-25-9 70356-09-1  
 RL: BUU (Biological use, unclassified); BIOL (Biological study); USES  
 (Uses)  
 (photoprotective skin care compns. comprising sunscreens, structuring  
 agent, and surfactants)

IT 77-99-6 78-79-5, Isoprene, uses 97-90-5 106-99-0, Butadiene, uses  
 110-26-9 112-92-5, 1-Octadecanol 557-40-4, Diallylether 661-19-8,  
 Behenyl alcohol 999-55-3, Allyl acrylate 1321-74-0, Divinyl benzene,  
 uses 1464-69-3 3784-12-1, Pentaerythritol monoallyl ether 7370-82-3,  
 Di-(meth)acrylamide 9004-99-3, Polyethylene glycol stearate  
 9005-00-9 12002-22-1 13818-40-1, Cyanomethylacrylate  
 26161-33-1, Polyquaternium 37 35429-19-7, Polyquaternium  
 32 36653-82-4, Cetyl alcohol 41440-38-4, Vinyloxyethylacrylate  
 67167-59-3, Polyethylene glycol stearate 77221-84-2, Divinyl  
 naphthalene  
 RL: POF (Polymer in formulation); USES (Uses)  
 (photoprotective skin care compns. comprising sunscreens, structuring  
 agent, and surfactants)

RE.CNT 67 THERE ARE 67 CITED REFERENCES AVAILABLE FOR THIS RECORD

RE

- (1) Anon; FR 2096712 1972 HCAPLUS
- (2) Anon; DE 2136697 1973 HCAPLUS
- (3) Anon; GB 1370236 1974 HCAPLUS
- (4) Anon; DE 2242553 1974 HCAPLUS
- (5) Anon; IN 144276 1978 HCAPLUS
- (6) Anon; GB 1533119 1978 HCAPLUS
- (7) Anon; EP 0193387 A2 1986 HCAPLUS
- (8) Anon; EP 2202621 A 1986
- (9) Anon; JP 61037712 1986 HCAPLUS
- (10) Anon; FR 2608424 1988 HCAPLUS
- (11) Anon; EP 0330369 A1 1989 HCAPLUS
- (12) Anon; EP 2347145 A 1989
- (13) Anon; WO 8910738 A1 1989 HCAPLUS
- (14) Anon; EP 0396422 A1 1990 HCAPLUS
- (15) Anon; GB 2230186 A 1990 HCAPLUS
- (16) Anon; DE 4018964 1991 HCAPLUS

- (17) Anon; EP 0512814 A1 1992 HCAPLUS
- (18) Anon; JP 426610 1992
- (19) Anon; WO 9213566 1992 HCAPLUS
- (20) Anon; WO 9219214 1992 HCAPLUS
- (21) Anon; JP 05078383 1993 HCAPLUS
- (22) Anon; WO 9307903 A1 1993 HCAPLUS
- (23) Anon; EP 0579079 1994 HCAPLUS
- (24) Anon; JP 06065044 1994
- (25) Anon; JP 06107531 1994 HCAPLUS
- (26) Anon; CA 2100405 1994 HCAPLUS
- (27) Anon; WO 9402176 1994 HCAPLUS
- (28) Anon; WO 9409756 1994 HCAPLUS
- (29) Anon; WO 9415580 A1 1994 HCAPLUS
- (30) Anon; JP 07277939 1995 HCAPLUS
- (31) Anon; DE 4327679 A1 1995 HCAPLUS
- (32) Anon; WO 9503781 1995 HCAPLUS
- (33) Anon; WO 9522311 A1 1995 HCAPLUS
- (34) Anon; WO 9637420 1996 HCAPLUS
- (35) Anon; JP 09012471 1997 HCAPLUS
- (36) Bonte; US 5514374 1996
- (37) Bonte; US 5591437 1997
- (38) Brown; US 2798053 1957 HCAPLUS
- (39) Caplus; JP 56044046 B4 1981 HCAPLUS
- (40) Caplus; JP 09067227 A2 1997 HCAPLUS
- (41) Dahms, G; "New Oil-in-Water Concepts Based on Emulsifiers Derived from Renewable Raw Materials," ICI Surfactants, RP 58/91E
- (42) Dahms, G; Cosmetics & Toiletries 1986, V101
- (43) Durrant; US 4699924 1987 HCAPLUS
- (44) Eccleston, G; J Soc Cosmet Chem 1990, V41, P1 HCAPLUS
- (45) Figueroa; US 4960764 1990 HCAPLUS
- (46) Hara; US 4948577 1990 HCAPLUS
- (47) Hawe; US 5100660 1992 HCAPLUS
- (48) Hillebrand; US 5296500 1994 HCAPLUS
- (49) Hostettler; US 4411886 1983 HCAPLUS
- (50) Huang; US 4509949 1985 HCAPLUS
- (51) Kligman; US 4877805 1989 HCAPLUS
- (52) Kligman; US 4888342 1989 HCAPLUS
- (53) Knoll; US 4822604 1989 HCAPLUS
- (54) Lerner; US 5520919 1996 HCAPLUS
- (55) Lerner; US 5556887 1996 HCAPLUS
- (56) Loll, P; "Liquid Crystals in Cosmetics Emulsions," ICI Surfactants, RP 94-93E
- (57) Mathur; US 3937810 1976
- (58) Mathur; US 4096240 1978
- (59) Meybeck; US 5476651 1995 HCAPLUS
- (60) Shander; US 5411991 1995 HCAPLUS
- (61) Smith, W; "Hydroxy Acids and Skin Aging," Walter Smith Consultants, Soap/Cosmetics/Chemical Specialties 1993
- (62) Tanaka; US 4732930 1988 HCAPLUS
- (63) Tanner; US 5759524 1998 HCAPLUS
- (64) Yu; US 5091171 1992 HCAPLUS
- (65) Yu; US 5385938 1995 HCAPLUS
- (66) Yu; US 5389677 1995 HCAPLUS
- (67) Zaias; US 5411741 1995 HCAPLUS
- IT 26161-33-1, Polyquaternium 37 35429-19-7, Polyquaternium 32
- RL: POF (Polymer in formulation); USES (Uses)  
(photoprotective skin care compns. comprising sunscreens, structuring agent, and surfactants)
- RN 26161-33-1 HCAPLUS




CN Ethanaminium, N,N,N-trimethyl-2-[(2-methyl-1-oxo-2-propenyl)oxy]-, chloride, homopolymer (9CI) (CA INDEX NAME)

CM 1

CRN 5039-78-1

CMF C9 H18 N O2 . Cl



● Cl<sup>-</sup>


RN 35429-19-7 HCAPLUS

CN Ethanaminium, N,N,N-trimethyl-2-[(2-methyl-1-oxo-2-propenyl)oxy]-, chloride, polymer with 2-propenamide (9CI) (CA INDEX NAME)

CM 1

CRN 5039-78-1

CMF C9 H18 N O2 . Cl




● Cl<sup>-</sup>

CM 2

CRN 79-06-1

CMF C3 H5 N O



L78 ANSWER 3 OF 27 HCAPLUS COPYRIGHT 2002 ACS

AN 2000:106863 HCAPLUS

DN 132:156507

TI Hair cosmetics containing Avena sativa extracts and betaine-containing (meth)acrylate polymers

IN Omura, Takayuki

PA Shiseido Co., Ltd., Japan

SO Jpn. Kokai Tokkyo Koho, 10 pp.

CODEN: JKXXAF

DT Patent

LA Japanese

IC ICM A61K007-06

CC 62-3 (Essential Oils and **Cosmetics**)

FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	JP 2000044437	A2	20000215	JP 1998-228723	19980729
AB	Hair cosmetics contain (A) H <sub>2</sub> O and/or water-sol. org. solvent exts. from Avena sativa seeds or oatmeal, (B) N-methacryloylethyl-N,N-dimethylammonium .alpha.-N-methylcarboxybetaine-alkyl methacrylate copolymers (mol. wt. 50,000-500,000) comprising linear random arrangement of structural units CH <sub>2</sub> CR <sub>1</sub> COQC <sub>2</sub> H <sub>4</sub> N+R <sub>2</sub> R <sub>3</sub> R <sub>4</sub> CO <sub>2</sub> - (R <sub>1</sub> = H, Me; R <sub>2</sub> , R <sub>3</sub> = C <sub>1</sub> -4 alkyl; R <sub>4</sub> = C <sub>1</sub> -4 alkylene; Q = O, NH) 20.0-80.0, CH <sub>2</sub> CR <sub>5</sub> CO <sub>2</sub> R <sub>6</sub> (R <sub>5</sub> = H, Me; R <sub>6</sub> = C <sub>1</sub> -4 alkyl, alkenyl) 3.0-50.0, and CH <sub>2</sub> CR <sub>5</sub> CO <sub>2</sub> R <sub>7</sub> (R <sub>5</sub> = same as above; R <sub>7</sub> = C <sub>12</sub> -24 alkyl, alkenyl) 5.0-40.0 wt.%, and (C) C <sub>14</sub> -24 unsatd. fatty alcs. having 1 double bond. A hair prepn. contg. decamethylcyclopentasiloxane 10.0, dimethylpolysiloxane 3.0, 1,3-butylene glycol 2.0, <b>ethoxylated</b> hydrogenated castor oil 2.0, a betaine-contg. methacrylate polymer 2.0, oatmeal ext. 2.0, EtOH 15.0, H <sub>2</sub> O 61.0, perfumes, and jojoba oil 3.0 wt.% gave gloss and smoothness to the hair.				
ST	betaine methacrylate polymer Avena ext hair; <b>fatty alc</b> betaine polymethacrylate hair styling; jojoba alc betaine polymethacrylate hair styling				
IT	Jojoba oil RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses) (alcs. from; hair-styling prepn. contg. Avena sativa exts., betaine-contg. (meth)acrylate polymers, and unsatd. fatty alcs.)				
IT	Oatmeal (exts.; hair-styling prepn. contg. Avena sativa exts., betaine-contg. (meth)acrylate polymers, and unsatd. fatty alcs.)				
IT	<b>Alcohols</b> , biological studies RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses) ( <b>fatty</b> , unsatd.; hair-styling prepn. contg. Avena sativa exts., betaine-contg. (meth)acrylate polymers, and unsatd. fatty alcs.)				
IT	Hair preparations (hair-styling prepn. contg. Avena sativa exts., betaine-contg. (meth)acrylate polymers, and unsatd. fatty alcs.)				
IT	Solvents (org., water-sol., in extn.; hair-styling prepn. contg. Avena sativa exts., betaine-contg. (meth)acrylate polymers, and unsatd. fatty alcs.)				
IT	Alcohols, uses RL: NUU (Other use, unclassified); USES (Uses) (polyhydric, extn. solvents; hair-styling prepn. contg. Avena sativa exts., betaine-contg. (meth)acrylate polymers, and unsatd. fatty alcs.)				
IT	Betaines RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses) (polymers; hair-styling prepn. contg. Avena sativa exts., betaine-contg. (meth)acrylate polymers, and unsatd. fatty alcs.)				
IT	Oat (seed exts.; hair-styling prepn. contg. Avena sativa exts., betaine-contg. (meth)acrylate polymers, and unsatd. fatty alcs.)				
IT	Alcohols, biological studies RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses)				

(unsatd., C14-24; hair-styling preps. contg. Avena sativa exts., betaine-contg. (meth)acrylate polymers, and unsatd. fatty alcs.)

IT 57-55-6, Propylene glycol, uses 107-88-0, 1,3-Butylene glycol 7732-18-5, Water, uses

RL: NUU (Other use, unclassified); USES (Uses)

(extn. solvent; hair-styling preps. contg. Avena sativa exts., betaine-contg. (meth)acrylate polymers, and unsatd. fatty alcs.)

IT 166596-97-0 213689-52-2 214122-11-9

214122-13-1

RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses)

(hair-styling preps. contg. Avena sativa exts., betaine-contg. (meth)acrylate polymers, and unsatd. fatty alcs.)

IT 166596-97-0 213689-52-2 214122-11-9

RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses)

(hair-styling preps. contg. Avena sativa exts., betaine-contg. (meth)acrylate polymers, and unsatd. fatty alcs.)


RN 166596-97-0 HCAPLUS

CN Ethanaminium, N-(carboxymethyl)-N,N-dimethyl-2-[(2-methyl-1-oxo-2-propenyl)oxy]-, inner salt, polymer with butyl 2-methyl-2-propenoate and octadecyl 2-methyl-2-propenoate (9CI) (CA INDEX NAME)

CM 1

CRN 62723-61-9


CMF C10 H17 N O4



CM 2

CRN .32360-05-7


CMF C22 H42 O2



CM 3

CRN 97-88-1


CMF C8 H14 O2



RN 213689-52-2 HCAPLUS  
 CN Ethanaminium, N-(carboxymethyl)-N,N-dimethyl-2-[(2-methyl-1-oxo-2-propenyl)oxy]-, inner salt, polymer with butyl 2-methyl-2-propenoate and docosyl 2-methyl-2-propenoate (9CI) (CA INDEX NAME)


CM 1

CRN 62723-61-9  
 CMF C10 H17 N O4




CM 2

CRN 16669-27-5  
 CMF C26 H50 O2



CM 3


CRN 97-88-1  
 CMF C8 H14 O2




RN 214122-11-9 HCAPLUS  
 CN Ethanaminium, N-(carboxymethyl)-N,N-dimethyl-2-[(2-methyl-1-oxo-2-propenyl)oxy]-, inner salt, polymer with hexadecyl 2-methyl-2-propenoate and methyl 2-methyl-2-propenoate (9CI) (CA INDEX NAME)

CM 1


CRN 62723-61-9  
 CMF C10 H17 N O4



CM 2

CRN 2495-27-4  
CMF C20 H38 O2

CM 3

CRN 80-62-6  
CMF C5 H8 O2

L78 ANSWER 4 OF 27 HCAPLUS COPYRIGHT 2002 ACS

AN 1999:788350 HCAPLUS

DN 132:26624

TI Hair dye **compositions** comprising a direct cationic dye and a substantive cationic or amphoteric polymer

IN Rondeau, Christine

PA Oreal S. A., Fr.

SO Fr. Demande, 68 pp.

CODEN: FRXXBL

DT Patent

LA French

IC ICM A61K007-13

ICS A61K007-135

CC 62-3 (Essential Oils and **Cosmetics**)

FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	<del>FR 2776923</del>	<del>A1</del>	<del>19991008</del>	FR 1998-4234	19980406
	EP 953334	A2	19991103	EP 1999-400711	19990323
	EP 953334	A3	20000308		
	R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO				
	ZA 9902429	A	19991008	ZA 1999-2429	19990330
	AU 9922540	A1	19991014	AU 1999-22540	19990330
	AU 722097	B2	20000720		
	CN 1233466	A	19991103	CN 1999-107305	19990401
	JP 11343218	A2	19991214	JP 1999-97574	19990405
	BR 9901590	A	20000530	BR 1999-1590	19990405
	RU 2160087	C1	20001210	RU 1999-107636	19990405
	US 2002046432	A1	20020425	US 1999-287176	19990406
PRAI	FR 1998-4234	A	19980406		
OS	MARPAT 132:26624				
AB	The title hair dye <b>compsns.</b> are disclosed. A hair dye contained Me pyridinium N,N-dimethylbenzylidene deriv. 0.09, a quaternary ammonium polymer 1.0, nonyl phenol contg. 9 mols of ethylene oxide 8.0,				

2-amino-2-Me propanol q.s. pH = 9, and water q.s. 100 g. The **compn.** is applied on the hair for 30 min, then is washed with shampoo and dried to obtain a strong copper color.

ST hair direct cationic dye polymer

IT Polyelectrolytes

(amphoteric; hair dye **compns.** comprising direct cationic dye and substantive cationic or amphoteric polymer)

IT Polyelectrolytes

(cationic; hair dye **compns.** comprising direct cationic dye and substantive cationic or amphoteric polymer)

IT Dyes

(direct, cationic; hair dye **compns.** comprising direct cationic dye and substantive cationic or amphoteric polymer)

IT Hair preparations

(dyes; hair dye **compns.** comprising direct cationic dye and substantive cationic or amphoteric polymer)

IT Oxidizing agents

(hair dye **compns.** comprising direct cationic dye and substantive cationic or amphoteric polymer)

IT Paraffin oils

RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses)

(hair dye **compns.** comprising direct cationic dye and substantive cationic or amphoteric polymer)

IT Solvents

(org.; hair dye **compns.** comprising direct cationic dye and substantive cationic or amphoteric polymer)

IT Quaternary ammonium compounds, biological studies

RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses)

(polymers; hair dye **compns.** comprising direct cationic dye and substantive cationic or amphoteric polymer)

IT 161329-39-1

RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses)

(1hair dye **compns.** comprising direct cationic dye and substantive cationic or amphoteric polymer)

IT 6687-56-5 9004-34-6, Cellulose, biological studies **26161-33-1**

**35429-19-7** 39838-87-4 42476-20-0 53694-17-0 54940-81-7

62163-15-9 64651-39-4 68259-00-7 68912-02-7 73447-48-0

75655-00-4 77061-58-6 83950-26-9 84912-24-3 89923-52-4

92888-19-2 93940-65-9 97404-02-9 97406-09-2 109220-25-9

143084-49-5 160598-04-9 161328-83-2 161328-85-4 161328-86-5

161328-87-6 161328-89-8 161328-91-2 161328-92-3 161328-94-5

161328-95-6 161328-96-7 161328-99-0 161329-01-7 161329-02-8

161329-04-0 161329-05-1 161329-06-2 161329-07-3 161329-08-4

161329-09-5 161329-15-3 161329-16-4 161329-17-5 161329-18-6

161329-22-2 161329-23-3 161329-25-5 161329-27-7 161329-28-8

161329-29-9 161329-30-2 161329-31-3 161329-35-7 161329-37-9

161329-38-0 161329-40-4 161329-42-6 161329-43-7 161329-44-8

161329-45-9 161329-47-1 161329-49-3 167382-76-5 167382-77-6

167382-78-7 167382-79-8 167382-80-1 167382-82-3 167382-83-4

167382-87-8 167382-88-9 167382-95-8 167382-96-9 167382-97-0

167382-98-1 167382-99-2 178822-03-2 178822-05-4 211050-61-2

232284-18-3 **251352-56-4**

RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses)

(hair dye **compns.** comprising direct cationic dye and substantive cationic or amphoteric polymer)

IT **26161-33-1 35429-19-7 251352-56-4**

RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses)

(hair dye **compns.** comprising direct cationic dye and substantive cationic or amphoteric polymer)


RN 26161-33-1 HCAPLUS

CN Ethanaminium, N,N,N-trimethyl-2-[(2-methyl-1-oxo-2-propenyl)oxy]-, chloride, homopolymer (9CI) (CA INDEX NAME)

CM 1

CRN 5039-78-1

CMF C9 H18 N O2 . Cl



● Cl<sup>-</sup>


RN 35429-19-7 HCAPLUS

CN Ethanaminium, N,N,N-trimethyl-2-[(2-methyl-1-oxo-2-propenyl)oxy]-, chloride, polymer with 2-propenamide (9CI) (CA INDEX NAME)

CM 1

CRN 5039-78-1

CMF C9 H18 N O2 . Cl




● Cl<sup>-</sup>

CM 2

CRN 79-06-1

CMF C3 H5 N O




RN 251352-56-4 HCAPLUS

CN Ethanaminium, N-(carboxymethyl)-N,N-dimethyl-2-[(2-methyl-1-oxo-2-propenyl)oxy]-, inner salt, polymer with N,N,N-trimethyl-2-[(2-methyl-1-oxo-2-propenyl)oxy]ethanaminium methyl sulfate (9CI) (CA INDEX NAME)

CM 1

CRN 62723-61-9  
CMF C10 H17 N O4




CM 2

CRN 6891-44-7  
CMF C9 H18 N O2 . C H3 O4 S


CM 3

CRN 33611-56-2  
CMF C9 H18 N O2



CM 4

CRN 21228-90-0  
CMF C H3 O4 S



L78 ANSWER 5 OF 27 HCAPLUS COPYRIGHT 2002 ACS  
AN 1999:763689 HCAPLUS  
DN 132:15482  
TI Hair dye **composition** containing a direct cationic dye and a substantive polymer  
IN Lang, Gerard; Cotteret, Jean  
PA L'Oreal, Fr.  
SO Eur. Pat. Appl., 49 pp.  
CODEN: EPXXDW  
DT Patent  
LA French  
IC ICM A61K007-13  
CC 62-4 (Essential Oils and **Cosmetics**)  
FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	EP 960617	A2	19991201	EP 1999-400978	19990421
	EP 960617	A3	20000308		



R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT,  
IE, SI, LT, LV, FI, RO

FR 2778845	A1	19991126	FR 1998-6549	19980525
FR 2778845	B1	20010504		
AU 9923918	A1	19991202	AU 1999-23918	19990423
AU 726541	B2	20001109		
ZA 9902935	A	19991026	ZA 1999-2935	19990426
BR 9902311	A	20000530	BR 1999-2311	19990507
CN 1236608	A	19991201	CN 1999-107017	19990524
RU 2166311	C2	20010510	RU 1999-110739	19990524
JP 2000007542	A2	20000111	JP 1999-145014	19990525
US 2002007521	A1	20020124	US 1999-318209	19990525
PRAI FR 1998-6549	A	19980525		

OS MARPAT 132:15482

AB Hair dye **compn.** contg. a direct cationic dye and a substantive cationic or amphoteric polymer. A hair dye contained 2(p-dimethylaminophenyl)azo-4-methylpyridine-N-oxide 0.12, ethoxyalted nonyl phenol 8.0, a quaternary ammonium polymer 1.0, ethanol 10.0, 2-amino-2-methyl-1-propanol q.s., and water q.s. 100.0g. The **compn.** is applied on the hair for 30 min, then the hair is washed, shampooed, and dried to obtain a strong red color.

ST hair direct cationic dye polymer

IT Polyelectrolytes

(amphoteric; hair dye **compn.** contg. direct cationic dye and substantive polymer)

IT Polyelectrolytes

(cationic; hair dye **compn.** contg. direct cationic dye and substantive polymer)

IT Dyes

(direct, cationic; hair dye **compn.** contg. direct cationic dye and substantive polymer)

IT Hair preparations

(dyes; hair dye **compn.** contg. direct cationic dye and substantive polymer)

IT **Oxidizing agents**

(hair dye **compn.** contg. direct cationic dye and substantive polymer)

IT Solvents

(org.; hair dye **compn.** contg. direct cationic dye and substantive polymer)

IT Quaternary ammonium compounds, biological studies

RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses)

(polymers; hair dye **compn.** contg. direct cationic dye and substantive polymer)

IT 7077-55-6 7267-43-8 7687-09-4 7687-11-8 26062-79-3,  
Dimethyldiallylammonium chloride homopolymer **26161-33-1**  
**35429-19-7** 41338-82-3 41338-83-4 41338-95-8 41338-98-1  
41339-00-8 51473-40-6 51473-50-8 52132-00-0 52132-02-2  
52132-03-3 52132-04-4 52132-05-5 52132-06-6 52132-11-3  
52132-12-4 52132-13-5 52132-14-6 52132-15-7 52132-16-8  
52132-17-9 52132-18-0 52132-19-1 52132-20-4 52132-21-5  
52132-22-6 52132-23-7 52132-24-8 52132-25-9 52132-26-0  
52132-27-1 52132-28-2 52132-30-6 52132-31-7 53694-17-0  
59405-36-6 59405-38-8 59405-42-4 59405-44-6 59405-45-7  
59405-47-9 59405-48-0 59405-54-8 59405-55-9 59405-57-1  
59405-59-3 59405-61-7 59405-65-1 59405-67-3 59642-65-8  
59642-67-0 59642-69-2 59642-73-8 59642-75-0 59642-77-2  
59642-93-2 59642-95-4 59643-09-3 59643-10-6 93569-38-1  
93569-39-2 251352-40-6 251352-41-7 251352-42-8 251352-43-9

251352-44-0 251352-45-1 251352-46-2 251352-47-3 251352-48-4  
 251352-49-5 251352-50-8 251352-53-1 251352-55-3 **251352-56-4**  
 RL: BUU (Biological use, unclassified); BIOL (Biological study); USES  
 (Uses)

(hair dye **compn.** contg. direct cationic dye and substantive  
 polymer)

IT **26161-33-1 35429-19-7 251352-56-4**

RL: BUU (Biological use, unclassified); BIOL (Biological study); USES  
 (Uses)

(hair dye **compn.** contg. direct cationic dye and substantive  
 polymer)


RN 26161-33-1 HCAPLUS

CN Ethanaminium, N,N,N-trimethyl-2-[(2-methyl-1-oxo-2-propenyl)oxy]-,  
 chloride, homopolymer (9CI) (CA INDEX NAME)

CM 1

CRN 5039-78-1

CMF C9 H18 N O2 . Cl



● Cl<sup>-</sup>


RN 35429-19-7 HCAPLUS

CN Ethanaminium, N,N,N-trimethyl-2-[(2-methyl-1-oxo-2-propenyl)oxy]-,  
 chloride, polymer with 2-propenamamide (9CI) (CA INDEX NAME)

CM 1

CRN 5039-78-1

CMF C9 H18 N O2 . Cl




● Cl<sup>-</sup>

CM 2

CRN 79-06-1


CMF C3 H5 N O



RN 251352-56-4 HCAPLUS  
 CN Ethanaminium, N-(carboxymethyl)-N,N-dimethyl-2-[(2-methyl-1-oxo-2-propenyl)oxy]-, inner salt, polymer with N,N,N-trimethyl-2-[(2-methyl-1-oxo-2-propenyl)oxy]ethanaminium methyl sulfate (9CI) (CA INDEX NAME)

CM 1

CRN 62723-61-9  
 CMF C10 H17 N O4




CM 2

CRN 6891-44-7  
 CMF C9 H18 N O2 . C H3 O4 S


CM 3

CRN 33611-56-2  
 CMF C9 H18 N O2



CM 4

CRN 21228-90-0  
 CMF C H3 O4 S



L78 ANSWER 6 OF 27 HCAPLUS COPYRIGHT 2002 ACS  
 AN 1999:686550 HCAPLUS  
 DN 131:303230  
 TI Customization of hair care formulations  
 IN Rath, Maureen L.; Hlavac, Wallace R.  
 PA Tiro Industries Incorporated, USA  
 SO U.S., 13 pp., Cont. of U.S. Ser. No. 969,492.  
 CODEN: USXXAM

KATHLEEN FULLER EIC 1700/LAW LIBRARY 308-4290

DT Patent  
 LA English  
 IC ICM A61K007-075  
 ICS A61K007-06  
 NCL 424070110  
 CC 62-3 (Essential Oils and Cosmetics)  
 FAN.CNT 2

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	US 5972322	A	19991026	US 1999-304246	19990503
	US 5993792	A	19991130	US 1997-969492	19971113
PRAI	US 1997-969492		19971113		
AB	The invention provides a system for prepg. a hair shampoo, conditioner, and styling compn., wherein each system is composed of sep. components that can be combined as desired by the user to provide customized hair care formulations. The systems include a water-thin base compn., a thickening compn., and optional enhancing additives, wherein each compn. is sep. packaged. The viscosity of the end-product shampoo, conditioner, or styling compn. can be varied, from a thick, pourable liq. to a thicker, pasty material depending on the amt. of thickener that is added to the base. An optional styling compn. was prepd. by combining the ingredients shown below. The product contained deionized water 75.0, Germaben II 1.0, 20% aq. soln. of Gafquat 755N 8.0, and 50% aq. soln. of PVP/VA W-35 16.0%.				
ST	hair formulation thickener vitamin additive				
IT	Alcohols, biological studies				
	RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses)				
	(C16-18, <b>ethoxylated</b> ; customization of hair care formulations)				
IT	Skin preparations (pharmaceutical)				
	(astringents; customization of hair care formulations)				
IT	Hair preparations				
	(conditioners; customization of hair care formulations)				
IT	Antibacterial agents				
	Antioxidants				
	Dyes				
	Hair preparations				
	Sequestering agents				
	Shampoos				
	Solubilizers				
	Thickening agents				
	Viscosity				
	(customization of hair care formulations)				
IT	Chelates				
	Quaternary ammonium compounds, biological studies				
	Vitamins				
	RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses)				
	(customization of hair care formulations)				
IT	Aloe barbadensis				
	Basil				
	Birch (Betula)				
	Cola (plant)				
	Cucumber (Cucumis sativus)				
	Lavender (Lavandula)				
	Marigold				
	Matricaria				
	Peppermint (Mentha piperita)				
	Sunflower				
	Witch hazel				

(exts. of; customization of hair care formulations)  
 IT Polyoxyalkylenes, biological studies  
 RL: BUU (Biological use, unclassified); BIOL (Biological study); USES  
 (Uses)  
 (fatty ethers; customization of hair care formulations)  
 IT **Alcohols**, biological studies  
 RL: BUU (Biological use, unclassified); BIOL (Biological study); USES  
 (Uses)  
 (fatty, ethoxylated, C12-18; customization of hair  
 care formulations)  
 IT Cosmetics  
 (moisturizers; customization of hair care formulations)  
 IT Alcohols, biological studies  
 RL: BUU (Biological use, unclassified); BIOL (Biological study); USES  
 (Uses)  
 (polyhydric; customization of hair care formulations)  
 IT 58-95-7, Tocopheryl acetate 67-97-0, Cholecalciferol 79-81-2, Retinyl  
 palmitate 112-02-7, Carsoquat CT 429 112-03-8,  
 Stearyltrimethylammonium chloride 1812-53-9, Varisoft 432PG 5306-85-4,  
 Dimethyl isosorbide 9002-92-0, Laureth-23 9004-99-3D, C16-18- and  
 iso-C16-18-alkyl ethers 24938-91-8, Salcare-SC95 **26161-33-1**  
 26590-05-6, Merquat 550 **35429-19-7**, Salcare-SC92 55008-57-6,  
 Gafquat 755N 69364-63-2, Isoceteth 20 148093-12-3, Sepigel 305  
 155076-61-2, Salcare-SC91 162534-65-8, Celquat SC-240 190606-03-2,  
 Sepigel 501  
 RL: BUU (Biological use, unclassified); BIOL (Biological study); USES  
 (Uses)  
 (customization of hair care formulations)

RE.CNT 15 THERE ARE 15 CITED REFERENCES AVAILABLE FOR THIS RECORD

RE

- (1) Anon; WO 9725963 1997 HCAPLUS
- (2) Casperson; US 5376146 1994 HCAPLUS
- (3) Ciaudelli; US 5084270 1992 HCAPLUS
- (4) Darkwa; US 5077042 1991 HCAPLUS
- (5) Darkwa; US 5293885 1994 HCAPLUS
- (6) Ehrlich; US 4099912 1978.
- (7) Ehrlich; US 4365853 1982
- (8) Hagan; US 5108751 1992 HCAPLUS
- (9) Hagan; US 5227503 1993 HCAPLUS
- (10) Lange; US 5132107 1992 HCAPLUS
- (11) McDonough; US 3577528 1971
- (12) Nicoll; US 5196187 1993 HCAPLUS
- (13) Parah; US 5254343 1993 HCAPLUS
- (14) Spiegel; US 5045308 1991 HCAPLUS
- (15) Syed; US 5824295 1998 HCAPLUS

IT **26161-33-1 35429-19-7**, Salcare-SC92  
 RL: BUU (Biological use, unclassified); BIOL (Biological study); USES  
 (Uses)

(customization of hair care formulations)


RN 26161-33-1 HCAPLUS

CN Ethanaminium, N,N,N-trimethyl-2-[(2-methyl-1-oxo-2-propenyl)oxy]-,  
 chloride, homopolymer (9CI) (CA INDEX NAME)

CM 1

CRN 5039-78-1

CMF C9 H18 N O2 . C1




● Cl<sup>-</sup>

RN 35429-19-7 HCAPLUS  
 CN Ethanaminium, N,N,N-trimethyl-2-[(2-methyl-1-oxo-2-propenyl)oxy]-,  
 chloride, polymer with 2-propenamide (9CI) (CA INDEX NAME)

CM 1


CRN 5039-78-1  
 CMF C9 H18 N O2 . Cl



● Cl<sup>-</sup>

CM 2

CRN 79-06-1  
 CMF C3 H5 N O



L78 ANSWER 7 OF 27 HCAPLUS COPYRIGHT 2002 ACS  
 AN 1999:468551 HCAPLUS  
 DN 131:120598  
 TI Two-part hair dye **compositions** containing polyether  
 polyurethanes and conditioning agents  
 IN Casperson, Stephen; Murphy, Bryan; Khan, Zubaida; Pohl, Stanley  
 PA Bristol-Myers Squibb Company, USA  
 SO PCT Int. Appl., 29 pp.  
 CODEN: PIXXD2  
 DT Patent  
 LA English  
 IC ICM A61K007-13  
 CC 62-3 (Essential Oils and **Cosmetics**)  
 FAN.CNT 1

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
-----	----	-----	-----	-----

PI WO 9936047 A1 19990722 WO 1998-US26122 19981209  
W: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, GH, GM, HR, HU, ID, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, UZ, VN, YU, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM  
RW: GH, GM, KE, LS, MW, SD, SZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG  
US 6156076 A 20001205 US 1998-8209 19980116  
CA 2317487 AA 19990722 CA 1998-2317487 19981209  
AU 9916337 A1 19990802 AU 1999-16337 19981209  
BR 9814008 A 20001010 BR 1998-14008 19981209  
EP 1047375 A1 20001102 EP 1998-960833 19981209  
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, FI  
JP 2002509099 T2 20020326 JP 2000-539823 19981209  
PRAI US 1998-8209 A 19980116  
WO 1998-US26122 W 19981209  
AB The present invention describes a two-part oxidative hair dye **compn.** which comprises in one or both component parts at least one polyether polyurethane in combination with at least one cationic conditioning agent. The two component parts of the **compn.** comprise a dye component **compn.**, which includes primary intermediates and couplers, and a developing component **compn.**, which includes an **oxidizing agent**, such as hydrogen peroxide. It has surprisingly been found by the present inventors that nonionic polyether polyurethane polymers and cationic conditioning **agents** contained in the **oxidative** hair dye **compns.** of the present invention impart and significantly enhance addnl. conditioning and rheol. benefits to the hair. Other components commonly used in oxidative hair dye products can be added to one or both component parts of the **compns.** of the present invention. After mixing the two component **compns.**, the resulting hair dye **compn.** mixt. is thick, conveniently applied, and provides superior rheol. and conditioning properties to the hair. A dye component **compn.** was prepd. contg., among other ingredients, behentrimonium chloride, cetyl alc., cocamide MEA, m-aminophenol, 1-naphthol, Aculyn 46, and ammonium hydroxide. A developer (oxidizer) component was prepd. contg., among other ingredients, C12-15 Pareth-3, Steareth 21, PEG-50 tallow amide, Oleth-5, oleyl alc., cetyl alc., Etidronic acid, Simethicone, and di-Na EDTA.  
ST hair dye two part polyether polyurethane; conditioning agent hair dye  
IT Alcohols, biological studies  
RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses)  
(C12-15, ethoxylated; two-part hair dye **compns.** contg. polyether polyurethanes and conditioning agents)  
IT Alcohols, biological studies  
RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses)  
(C16-18, ethoxylated; two-part hair dye **compns.** contg. polyether polyurethanes and conditioning agents)  
IT Quaternary ammonium compounds, biological studies  
RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses)  
(coco alkylethyldimethyl, Et sulfates; two-part hair dye **compns.** contg. polyether polyurethanes and conditioning agents)  
IT Hair preparations  
(conditioners; two-part hair dye **compns.** contg. polyether


- polyurethanes and conditioning agents)
- IT Quaternary ammonium compounds, biological studies  
RL: BUU (Biological use, unclassified); BIOL (Biological study); USES  
(Uses)  
(dicoco alkyldimethyl, chlorides; two-part hair dye **compns.**  
contg. polyether polyurethanes and conditioning agents)
- IT Hair preparations  
(dyes; two-part hair dye **compns.** contg. polyether  
polyurethanes and conditioning agents)
- IT Polyurethanes, biological studies  
RL: BUU (Biological use, unclassified); BIOL (Biological study); USES  
(Uses)  
(polyether-; two-part hair dye **compns.** contg. polyether  
polyurethanes and conditioning agents)
- IT Quaternary ammonium compounds, biological studies  
RL: BUU (Biological use, unclassified); BIOL (Biological study); USES  
(Uses)  
(trimethylsoya alkyl, chlorides; two-part hair dye **compns.**  
contg. polyether polyurethanes and conditioning agents)
- IT Quaternary ammonium compounds, biological studies  
RL: BUU (Biological use, unclassified); BIOL (Biological study); USES  
(Uses)  
(two-part hair dye **compns.** contg. polyether polyurethanes and  
conditioning agents)
- IT 9005-25-8, Starch, biological studies  
RL: BUU (Biological use, unclassified); BIOL (Biological study); USES  
(Uses)  
(polyether-polyurethane modified with; two-part hair dye **compns.**  
contg. polyether polyurethanes and conditioning agents)
- IT 90-15-3, 1-Naphthol 95-70-5, p-Toluenediamine 106-50-3,  
1,4-Benzenediamine, biological studies 107-64-2,  
Distearyldimethylammonium chloride 108-45-2, 1,3-Benzenediamine,  
biological studies 108-46-3, Resorcinol, biological studies 112-03-8,  
Stearyltrimethylammonium chloride 123-30-8, p-Aminophenol 591-27-5  
608-25-3, 2-Methylresorcinol 1812-53-9, Dicetyldimethylammonium chloride  
2835-95-2, 4-Amino-2-hydroxytoluene 2835-96-3, 4-Amino-2-methylphenol  
2835-99-6, 4-Amino-3-Methylphenol 7469-77-4, 2-Methyl-1-naphthol  
7575-35-1, N,N-Bis(2-hydroxyethyl)-p-phenylenediamine 9002-92-0, Laureth  
2 14572-93-1, 2-(2,4-Diaminophenyl)ethanol 17301-53-0, Behentrimonium  
chloride 26006-22-4, Polyquaternium 5 26027-38-3 26062-79-3,  
Polyquaternium 6 53694-17-0, Polyquaternium 22 83763-47-7 93841-24-8  
193487-42-2, Aculyn 44 233265-18-4, Aculyn 46  
RL: BUU (Biological use, unclassified); BIOL (Biological study); USES  
(Uses)  
(two-part hair dye **compns.** contg. polyether polyurethanes and  
conditioning agents)
- IT 56-81-5, 1,2,3-Propanetriol, biological studies 57-55-6,  
1,2-Propanediol, biological studies 64-17-5, Ethanol, biological studies  
67-63-0, Isopropanol, biological studies 107-41-5, Hexylene glycol  
111-90-0, Carbitol 124-68-5 141-43-5, Monoethanolamine, biological  
studies 497-19-8, Sodium carbonate, biological studies 7664-41-7,  
Ammonia, biological studies  
RL: BUU (Biological use, unclassified); MOA (Modifier or additive use);  
BIOL (Biological study); USES (Uses)  
(two-part hair dye **compns.** contg. polyether polyurethanes and  
conditioning agents)

RE.CNT 4 THERE ARE 4 CITED REFERENCES AVAILABLE FOR THIS RECORD  
RE


- (1) Carlos, D; WO 9724105 A 1997 HCAPLUS  
(2) Carlos, D; WO 9724106 A 1997 HCAPLUS




(3) Carlos, D; WO 9724107 A 1997 HCAPLUS  
 (4) Carlos, D; WO 9827941 A 1998 HCAPLUS  
 IT 26006-22-4, Polyquaternium 5  
 RL: BUU (Biological use, unclassified); BIOL (Biological study); USES  
 (Uses)  
 (two-part hair dye **compns.** contg. polyether polyurethanes and  
 conditioning agents)  
 RN 26006-22-4 HCAPLUS  
 CN Ethanaminium, N,N,N-trimethyl-2-[(2-methyl-1-oxo-2-propenyl)oxy]-, methyl  
 sulfate, polymer with 2-propenamide (9CI) (CA INDEX NAME)  
 CM 1  
 CRN 79-06-1  
 CMF C3 H5 N O



CM 2  
 CRN 6891-44-7  
 CMF C9 H18 N O2 . C H3 O4 S  
 CM 3  
 CRN 33611-56-2  
 CMF C9 H18 N O2



CM 4  
 CRN 21228-90-0  
 CMF C H3 O4 S



L78 ANSWER 8 OF 27 HCAPLUS COPYRIGHT 2002 ACS  
 AN 1999:464170 HCAPLUS  
 DN 131:106602  
 TI Oxidative hair dye **compositions** containing a laccase and  
 polymers  
 IN Lang, Gerard; Cotteret, Jean  
 PA L'Oreal, Fr.  
 SO PCT Int. Appl., 31 pp.  
 CODEN: PIXXD2  
 DT Patent

LA French  
 IC ICM A61K007-13  
 CC 62-3 (Essential Oils and Cosmetics)  
 FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO 9936045	A1	19990722	WO 1999-FR38	19990112
	W: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM RW: GH, GM, KE, LS, MW, SD, SZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG				
	FR 2773472	A1	19990716	FR 1998-249	19980113
	CA 2317945	AA	19990722	CA 1999-2317945	19990112
	AU 9919741	A1	19990802	AU 1999-19741	19990112
	AU 729268	B2	20010201		
	EP 1041957	A1	20001011	EP 1999-900519	19990112
	R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, FI				
	BR 9907141	A	20001031	BR 1999-7141	19990112
	JP 2002509097	T2	20020326	JP 2000-539821	19990112
PRAI	FR 1998-249	A	19980113		
	WO 1999-FR38	W	19990112		
AB	An oxidative hair dye <b>compn.</b> consists of at least 1 laccase-type enzyme, 1 polymer thickener selected from amphiphilic nonionic polymers comprising at least 1 <b>fatty</b> chain and at least one hydrophilic unit, anionic amphiphilic polymers comprising at least 1 hydrophilic unit and at least 1 <b>fatty</b> chain unit. Thus, a hair dye <b>compn</b> . contained laccase 1.8, Oramix CG-110 8.0, p-phenylenediamine 0.254, 2,4-diaminophenoxyethanol-HCl 0.260, Dapral T212 1.0 and water qs 100 g.				
ST	oxidative hair dye laccase polymer				
IT	Polyelectrolytes (anionic; oxidative hair dye <b>compns.</b> contg. laccase and polymers)				
IT	Hair preparations (dyes, oxidative; oxidative hair dye <b>compns.</b> contg. laccase and polymers)				
IT	Agaricus bisporus Anacardiaceae Apple Aspergillus nidulans Avocado (Persea americana) Banana (Musa) Botrytis cinerea Carrot Catharanthus roseus Ceriporiopsis subvermispora Cerreana unicolor Chaetomium thermophilum Cladosporium cladosporioides Coffee (Coffea) Coprinus cinereus Dichomitus squalens Fomes fomentarius Ganoderma lucidum Ginkgo biloba				

Glomerella cingulata  
 Heterobasidion annosum  
 Horse chestnut (Aesculus)  
 Iris (plant)  
 Lacquer tree  
 Lactarius piperatus  
 Maple (Acer pseudoplatanus)  
 Monotropa hypopitys  
 Myceliophthora thermophila  
 Neurospora crassa  
 Panaeolus papilionaceus  
 Panaeolus sphinctrinus  
 Peach (Prunus persica)  
 Phellinus noxius  
 Pistacia palaestina  
 Pleurotus ostreatus  
 Podocarpaceae  
 Podospora anserina  
 Polyporus pinsitus  
 Potato (Solanum tuberosum)  
 Pyricularia oryzae  
 Rhizoctonia solani  
 Rigidoporus lignosus  
 Rosemary  
 Russula delica  
 Schizophyllum commune  
 Scytalidium  
 Thelephora terrestris  
 Thickening **agents**  
 Trametes hirsuta  
 Trametes versicolor  
 Vinca minor

(oxidative hair dye **compns.** contg. laccase and polymers)

IT Polymers, biological studies

RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses)

(oxidative hair dye **compns.** contg. laccase and polymers)

IT Amines, biological studies

RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses)

(phenylalkyl; oxidative hair dye **compns.** contg. laccase and polymers)

IT 95-54-5, o-Phenylenediamine, biological studies 95-55-6, o-Aminophenol  
 106-50-3, 1,4-Benzenediamine, biological studies 108-45-2,  
 1,3-Benzenediamine, biological studies 123-30-8, p-Aminophenol  
 591-27-5 9000-01-5, Gum arabic 9000-28-6, Ghatti gum 9000-30-0, Guar  
 gum 9000-36-6, Karaya gum 9000-65-1, Tragacanth gum 9004-34-6D,  
 Cellulose, derivs., biological studies 9005-00-9, Steareth 25212-88-8,  
 Ethyl acrylate-methacrylic acid copolymer 26100-47-0,  
 Acrylamide-ammonium acrylate copolymer **26161-33-1**,  
 2-Trimethylammonioethyl methacrylate chloride polymer 27119-07-9,  
 Poly(2-acrylamido-2-methylpropanesulfonic acid) 28214-57-5,  
 Poly(ammonium acrylate) **35429-19-7**, Acrylamide-  
 Trimethylammonioethylmethacrylate chloride copolymer 39464-87-4,  
 Scleroglucan 40623-73-2, Acrylamide-AMPS copolymer 80498-15-3, Laccase  
 134499-37-9, Carbopol 954 138860-57-8, DApral T212  
 RL: BUU (Biological use, unclassified); BIOL (Biological study); USES  
 (Uses)

(oxidative hair dye **compns.** contg. laccase and polymers)

RE.CNT 3 THERE ARE 3 CITED REFERENCES AVAILABLE FOR THIS RECORD  
RE

(1) Grollier, J; US 4904275 A 1990 HCAPLUS

(2) Oreal; FR 2694018 A 1994 HCAPLUS

(3) Perma Sa; EP 0504005 A 1992 HCAPLUS

IT 26161-33-1, 2-Trimethylammonioethyl methacrylate chloride polymer  
35429-19-7, Acrylamide-Trimethylammonioethylmethacrylate chloride  
copolymer

RL: BUU (Biological use, unclassified); BIOL (Biological study); USES  
(Uses)

(oxidative hair dye **compns.** contg. laccase and polymers)


RN 26161-33-1 HCAPLUS

CN Ethanaminium, N,N,N-trimethyl-2-[(2-methyl-1-oxo-2-propenyl)oxy]-,  
chloride, homopolymer (9CI) (CA INDEX NAME)

CM 1

CRN 5039-78-1

CMF C9 H18 N O2 . Cl



● Cl<sup>-</sup>


RN 35429-19-7 HCAPLUS

CN Ethanaminium, N,N,N-trimethyl-2-[(2-methyl-1-oxo-2-propenyl)oxy]-,  
chloride, polymer with 2-propenamamide (9CI) (CA INDEX NAME)

CM 1

CRN 5039-78-1

CMF C9 H18 N O2 . Cl




● Cl<sup>-</sup>

CM 2

CRN 79-06-1

CMF C3 H5 N O



L78 ANSWER 9 OF 27 HCAPLUS COPYRIGHT 2002 ACS

AN 1999:464164 HCAPLUS

DN 131:120589

TI Hair dye **composition** containing a laccase

IN Lang, Gerard; Cotteret, Jean

PA L'Oreal, Fr.

SO PCT Int. Appl., 37 pp.

CODEN: PIXXD2

DT Patent

LA French

IC ICM A61K007-13

CC 62-3 (Essential Oils and **Cosmetics**)

FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO 9936035	A1	19990722	WO 1998-FR2794	19981218
	W: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, GH, GM, HR, HU, ID, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				
	RW: GH, GM, KE, LS, MW, SD, SZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG				
	FR 2773477	A1	19990716	FR 1998-254	19980113
	FR 2773477	B1	20010223		
	CA 2318321	AA	19990722	CA 1998-2318321	19981218
	AU 9917666	A1	19990802	AU 1999-17666	19981218
	AU 729022	B2	20010125		
	BR 9814740	A	20001017	BR 1998-14740	19981218
	EP 1047377	A1	20001102	EP 1998-962518	19981218
	EP 1047377	B1	20010627		
	R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, FI				
	AT 202469	E	20010715	AT 1998-962518	19981218
	ES 2161074	T3	20011116	ES 1998-962518	19981218
	JP 2002509087	T2	20020326	JP 2000-539811	19981218
PRAI	FR 1998-254	A	19980113		
	WO 1998-FR2794	W	19981218		

AB The invention concerns a ready-to-use **compn.** for dyeing human keratinous fibers and more particularly human hair, comprising (a) at least an enzyme such as laccase; (b) at least a cationic substance or particular amphoteric polymer; (c) at least an **oxidn.** coloring **agent**, as well as the dyeing methods using said **compn.**

ST hair dye laccase formulation

IT Polysiloxanes, biological studies

RL: BUU (Biological use, unclassified); NUU (Other use, unclassified); PEP (Physical, engineering or chemical process); BIOL (Biological study); PROC (Process); USES (Uses)

(3-[(2-aminoethyl)amino]-2-methylpropyl Me, di-Me; hair dye **compn.** contg. a laccase)

IT Polysiloxanes, biological studies

RL: BUU (Biological use, unclassified); NUU (Other use, unclassified); PEP

- (Physical, engineering or chemical process); BIOL (Biological study); PROC (Process); USES (Uses)  
 ([ (aminoethyl)amino]propyl hydroxy, di-Me; hair dye **compn.** contg. a laccase)
- IT Polysiloxanes, biological studies  
 RL: BUU (Biological use, unclassified); PEP (Physical, engineering or chemical process); BIOL (Biological study); PROC (Process); USES (Uses)  
 (cationic; hair dye **compn.** contg. a laccase)
- IT Polymers, biological studies  
 RL: BUU (Biological use, unclassified); PEP (Physical, engineering or chemical process); BIOL (Biological study); PROC (Process); USES (Uses)  
 (co-, dimethyldiallylammonium halide; hair dye **compn.** contg. a laccase)
- IT Hair preparations  
 (dyes; hair dye **compn.** contg. a laccase)
- IT Oxidation  
 (enzymic; hair dye **compn.** contg. a laccase)
- IT Antioxidants  
 Buffers  
 Coupling agents  
 Dispersing agents  
 Opacifiers  
 Perfumes  
 Permeation enhancers  
 Preservatives  
 Sequestering agents  
 Surfactants  
 Thickening agents  
 (hair dye **compn.** contg. a laccase)
- IT Enzymes, biological studies  
 RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); BUU (Biological use, unclassified); NUU (Other use, unclassified); PEP (Physical, engineering or chemical process); BIOL (Biological study); PROC (Process); USES (Uses)  
 (hair dye **compn.** contg. a laccase)
- IT Keratins  
 RL: BPR (Biological process); BSU (Biological study, unclassified); PRP (Properties); BIOL (Biological study); PROC (Process)  
 (hair dye **compn.** contg. a laccase)
- IT Paraffin oils  
 RL: BUU (Biological use, unclassified); NUU (Other use, unclassified); PEP (Physical, engineering or chemical process); BIOL (Biological study); PROC (Process); USES (Uses)  
 (hair dye **compn.** contg. a laccase)
- IT Polymers, biological studies  
 RL: BUU (Biological use, unclassified); NUU (Other use, unclassified); PEP (Physical, engineering or chemical process); BIOL (Biological study); PROC (Process); USES (Uses)  
 (hair dye **compn.** contg. a laccase)
- IT Vitamins  
 RL: BUU (Biological use, unclassified); NUU (Other use, unclassified); PEP (Physical, engineering or chemical process); BIOL (Biological study); PROC (Process); USES (Uses)  
 (hair dye **compn.** contg. a laccase)
- IT Chlorophylls, biological studies  
 RL: BSU (Biological study, unclassified); MFM (Metabolic formation); BIOL (Biological study); FORM (Formation, nonpreparative)  
 (laccases of plants producing; hair dye **compn.** contg. a laccase)
- IT Agaricus bisporus

Anacardiaceae  
 Apple  
 Aspergillus nidulans  
 Avocado (Persea americana)  
 Banana (Musa)  
 Botrytis cinerea  
 Carrot  
 Catharanthus roseus  
 Ceriporiopsis subvermisporea  
 Cerrena unicolor  
 Chaetomium thermophilum  
 Cladosporium cladosporioides  
 Coffee (Coffea)  
 Coprinus cinereus  
 Dichomitus squalens  
 Fomes fomentarius  
 Ganoderma lucidum  
 Ginkgo biloba  
 Glomerella cingulata  
 Heterobasidion annosum  
 Horse chestnut (Aesculus)  
 Iris (plant)  
 Lacquer tree  
 Lactarius piperatus  
 Maple (Acer pseudoplatanus)  
 Monotropa hypopitys  
 Myceliophthora thermophila  
 Neurospora crassa  
 Panaeolus papilionaceus  
 Panaeolus sphinctrinus  
 Peach (Prunus persica)  
 Phellinus noxius  
 Pistacia palaestina  
 Pleurotus ostreatus  
 Podocarpaceae  
 Podospora anserina  
 Polyporus pinsitus  
 Potato (Solanum tuberosum)  
 Pyricularia oryzae  
 Rhizoctonia solani  
 Rigidoporus lignosus  
 Rosemary  
 Russula delica  
 Schizophyllum commune  
 Scytalidium  
 Thelephora terrestris  
 Trametes hirsuta  
 Trametes versicolor  
 Vinca minor

(laccases of; hair dye **compn.** contg. a laccase)

IT Solvents

(org.; hair dye **compn.** contg. a laccase)

IT 2835-95-2, 2-Methyl 5-aminophenol

RL: BUU (Biological use, unclassified); NUU (Other use, unclassified); PEP (Physical, engineering or chemical process); BIOL (Biological study); PROC (Process); USES (Uses)

(coupling agent; hair dye **compn.** contg. a laccase)

IT 26161-33-1, Poly(methacryloyloxyethyltrimethylammonium chloride)  
 35429-19-7

RL: BUU (Biological use, unclassified); PEP (Physical, engineering or

chemical process); BIOL (Biological study); PROC (Process); USES (Uses)  
 (cross-linked; hair dye **compn.** contg. a laccase)

IT 9003-99-0, Peroxidase 9055-15-6, Oxidoreductase  
 RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); BUU (Biological use, unclassified); NUU (Other use, unclassified); PEP (Physical, engineering or chemical process); BIOL (Biological study); PROC (Process); USES (Uses)  
 (hair dye **compn.** contg. a laccase)

IT 80498-15-3, Laccase  
 RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); BUU (Biological use, unclassified); PEP (Physical, engineering or chemical process); BIOL (Biological study); PROC (Process); USES (Uses)  
 (hair dye **compn.** contg. a laccase)

IT 88-12-0D, polymeric derivs. 89-25-8 90-15-3, .alpha.-Naphthol  
 95-54-5D, 1,2-Benzenediamine, derivs., biological studies 95-55-6D, derivs. 95-88-5, 4-Chloro-1,3-dihydroxybenzene 106-50-3D, 1,4-Benzenediamine, derivs., biological studies 108-26-9 108-45-2, 1,3-Benzenediamine, biological studies 108-45-2D, 1,3-Benzenediamine, derivs., biological studies 108-46-3, 1,3-Dihydroxybenzene, biological studies 108-46-3D, 1,3-Benzenediol, derivs., biological studies 123-30-8D, derivs. 533-31-3, Sesamol 591-27-5, 3-Aminophenol 591-27-5D, derivs. 608-25-3, 1,3-Dihydroxy-2-methylbenzene 2380-86-1, 6-Hydroxyindole 4664-16-8, 2,6-Dihydroxy-4-methylpyridine 53694-17-0, Merquat 280 55302-96-0 66422-95-5, 2,4-Diaminophenoxyethanol dihydrochloride 70643-19-5 81892-72-0 83763-47-7 93846-05-0 197179-33-2, Oramix CG110 231958-91-1  
 RL: BUU (Biological use, unclassified); NUU (Other use, unclassified); PEP (Physical, engineering or chemical process); BIOL (Biological study); PROC (Process); USES (Uses)  
 (hair dye **compn.** contg. a laccase)

IT 88-12-0D, cationic copolymers 26590-05-6, Acrylamide-diallyldimethylammonium chloride copolymer 57564-45-1 98616-25-2, Polyquaternium-24 223104-80-1  
 RL: BUU (Biological use, unclassified); PEP (Physical, engineering or chemical process); BIOL (Biological study); PROC (Process); USES (Uses)  
 (hair dye **compn.** contg. a laccase)

RE.CNT 4 THERE ARE 4 CITED REFERENCES AVAILABLE FOR THIS RECORD

RE  
 (1) Oreal; EP 0557203 A 1993 HCAPLUS  
 (2) Oreal; FR 2694018 A 1994 HCAPLUS  
 (3) Oreal; EP 0673641 A 1995 HCAPLUS  
 (4) Perma Sa; EP 0504005 A 1992 HCAPLUS

IT 26161-33-1, Poly(methacryloyloxyethyltrimethylammonium chloride) 35429-19-7  
 RL: BUU (Biological use, unclassified); PEP (Physical, engineering or chemical process); BIOL (Biological study); PROC (Process); USES (Uses)  
 (cross-linked; hair dye **compn.** contg. a laccase)

RN 26161-33-1 HCAPLUS


CN Ethanaminium, N,N,N-trimethyl-2-[(2-methyl-1-oxo-2-propenyl)oxy]-, chloride, homopolymer (9CI) (CA INDEX NAME)

CM 1

CRN 5039-78-1

CMF C9 H18 N O2 . Cl






● Cl<sup>-</sup>

RN 35429-19-7 HCAPLUS  
 CN Ethanaminium, N,N,N-trimethyl-2-[(2-methyl-1-oxo-2-propenyl)oxy]-,  
 chloride, polymer with 2-propenamide (9CI) (CA INDEX NAME)

CM 1


CRN 5039-78-1  
 CMF C9 H18 N O2 . Cl



● Cl<sup>-</sup>

CM 2

CRN 79-06-1  
 CMF C3 H5 N O



L78 ANSWER 10 OF 27 HCAPLUS COPYRIGHT 2002 ACS  
 AN 1999:244543 HCAPLUS  
 DN 130:301478  
 TI Oxidative hair dye **compositions** containing oxidoreductase-type  
 enzymes and polymers  
 IN De La Mettrie, Roland; Cotteret, Jean; De Labrey, Arnaud; Maubru, Mireille  
 PA L'Oreal, Fr.  
 SO PCT Int. Appl., 33 pp.  
 CODEN: PIXXD2  
 DT Patent  
 LA French  
 IC ICM A61K007-13  
 CC 62-3 (Essential Oils and **Cosmetics**)  
 FAN.CNT 1

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
-----	----	-----	-----	-----

PI ~~WO 9917727~~ A1 19990415 WO 1998-FR2026 19980922  
W: AL, AM, AT, ~~AU, AZ, BA~~, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, GH, GM, HR, HU, ID, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM  
RW: GH, GM, KE, LS, MW, SD, SZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG  
FR 2769217 A1 19990409 FR 1997-12357 19971003  
FR 2769217 B1 20000317  
AU 9892695 A1 19990427 AU 1998-92695 19980922  
AU 719804 B2 20000518  
BR 9806261 A 20000125 BR 1998-6261 19980922  
EP 975318 A1 20000202 EP 1998-945350 19980922  
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, FI  
JP 2000507983 T2 20000627 JP 1999-521107 19980922  
ZA 9809001 A 19990412 ZA 1998-9001 19981002  
US 6251145 B1 20010626 US 1999-319199 19990602  
US 2002004959 A1 20020117 US 2001-832878 20010412  
PRAI FR 1997-12357 A 19971003  
WO 1998-FR2026 W 19980922  
US 1999-319199 A3 19990602  
AB A cosmetic and/or dermatol. **compn.** for treating keratin fibers, in particular human keratin fibers and more particularly human hair comprise in an appropriate support for keratin fibers: (a) at least an oxidoreductase-type enzyme with 2 electrons in the presence of at least a donor for said enzyme; and (b) at least a substantive polymer selected in the group consisting of: (i) cellulosic cationic derivs.; (ii) dimethyldiallylammonium halide homopolymers and dimethyldiallylammonium copolymers and (meth)acrylic acid; (iii) methacryloyloxyethyltrimethylammonium halide homopolymers and copolymers; (iv) quaternary polyammonium polymers; (v) vinylpyrrolidone polymers with cationic structural units; and (vi) their mixts. The invention also concerns the methods for treating keratin fibers in particular methods for dyeing, permanently setting or bleaching hair using said **compn.** A hair dye **compn.** contained uricase (20 IU/mg) 1.5, uric acid 1.5, p-phenylenediamine 0.324, resorcin 0.33, Merquat 280 (acrylic acid-dimethyldiallylammonium chloride copolymer) 1.0, and water q.s. 100 g.  
ST oxidative hair dye oxidoreductase enzyme polymer  
IT Amphoteric surfactants  
Anionic surfactants  
Antioxidants  
Cationic surfactants  
Coupling **agents**  
Nonionic surfactants  
Opacifiers  
Organic solvents  
**Oxidizing agents**  
Perfumes  
Permanent wave preparations  
Permeation enhancers  
Preservatives  
Sequestering **agents**  
Thickening **agents**  
Zwitterionic surfactants  
(oxidative hair dye **compns.** contg. oxidoreductase-type enzymes and polymers)

IT Enzymes, biological studies  
 Paraffin oils  
 Polymers, biological studies  
 RL: BUU (Biological use, unclassified); BIOL (Biological study); USES  
 (Uses)  
 (oxidative hair dye **compns.** contg. oxidoreductase-type  
 enzymes and polymers)

IT Quaternary ammonium compounds, biological studies  
 RL: BUU (Biological use, unclassified); BIOL (Biological study); USES  
 (Uses)  
 (polymers; oxidative hair dye **compns.** contg.  
 oxidoreductase-type enzymes and polymers)

IT 69-93-2, Uric acid, biological studies 106-50-3, 1,4-Benzenediamine,  
 biological studies 108-45-2, 1,3-Benzenediamine, biological studies  
 108-46-3, 1,3-Benzenediol, biological studies 591-27-5 9002-12-4,  
 Uricase 9004-34-6D, Cellulose, alkyl ether derivs. 9015-06-9  
 9055-15-6, Oxidoreductase 26062-79-3, Merquat 100 **26161-33-1**  
 30581-59-0, Dimethylaminoethyl methacrylate-vinylpyrrolidone copolymer  
**35429-19-7** 53694-17-0, Merquat 280 68393-49-7 95144-24-4  
 131954-48-8 197179-33-2, Oramix cgl10 223104-80-1  
 RL: BUU (Biological use, unclassified); BIOL (Biological study); USES  
 (Uses)  
 (oxidative hair dye **compns.** contg. oxidoreductase-type  
 enzymes and polymers)

RE.CNT 8 THERE ARE 8 CITED REFERENCES AVAILABLE FOR THIS RECORD

RE

- (1) Beiersdorf Ag; DE 19547991 A 1997 HCAPLUS
- (2) Goldwell Ag; EP 0548620 A 1993 HCAPLUS
- (3) Goldwell Ag; EP 0548621 A 1993 HCAPLUS
- (4) Kaisha, Y; EP 0716846 A 1996 HCAPLUS
- (5) Kyowa Hakko Kogyo Kk; EP 0310675 A 1989 HCAPLUS
- (6) Oreal; FR 2586913 A 1987
- (7) Oreal, S; WO 9400100 A 1994 HCAPLUS
- (8) Wella Ag; EP 0795313 A 1997 HCAPLUS

IT **26161-33-1 35429-19-7**  
 RL: BUU (Biological use, unclassified); BIOL (Biological study); USES  
 (Uses)  
 (oxidative hair dye **compns.** contg. oxidoreductase-type  
 enzymes and polymers)


RN 26161-33-1 HCAPLUS

CN Ethanaminium, N,N,N-trimethyl-2-[(2-methyl-1-oxo-2-propenyl)oxy]-,  
 chloride, homopolymer (9CI) (CA INDEX NAME)

CM 1

CRN 5039-78-1

CMF C9 H18 N O2 . Cl



● Cl<sup>-</sup>


RN 35429-19-7 HCAPLUS

CN Ethanaminium, N,N,N-trimethyl-2-[(2-methyl-1-oxo-2-propenyl)oxy]-, chloride, polymer with 2-propenamide (9CI) (CA INDEX NAME)

CM 1

CRN 5039-78-1

CMF C9 H18 N O2 . Cl




● Cl<sup>-</sup>

CM 2

CRN 79-06-1

CMF C3 H5 N O



L78 ANSWER 11 OF 27 HCAPLUS COPYRIGHT 2002 ACS

AN 1999:81556 HCAPLUS

DN 130:143946

TI Hair conditioning compositions containing .alpha.- or .beta.- hydroxy acid esters

IN Deegan, Charlene Patricia; Hawkins, Geoffrey Robert

PA Revlon Consumer Products Corporation, USA

SO PCT Int. Appl., 38 pp.

CODEN: PIXXD2

DT Patent

LA English

IC ICM A61K007-06

CC 62-3 (Essential Oils and **Cosmetics**)


FAN.CNT 1

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9903447	A1	19990128	WO 1998-US14951	19980720
W: AU, BR, CA, JP, MX, NZ				
RW: AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE				
US 5989533	A	19991123	US 1997-897955	19970721
AU 9884992	A1	19990210	AU 1998-84992	19980720
AU 728273	B2	20010104		
EP 1001733	A1	20000524	EP 1998-935819	19980720
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, FI				
BR 9811019	A	20000919	BR 1998-11019	19980720
JP 2001510148	T2	20010731	JP 2000-502749	19980720

ZA 9806490 A 19990203 ZA 1998-6490 19980721  
 PRAI US 1997-897955 A 19970721  
 WO 1998-US14951 W 19980720  
 AB Disclosed is a hair conditioner compn. comprising 0.1-20 % of a cationic conditioning agent, 0.1-20 % of esters of .alpha.- or .beta.-hydroxy acids, 0.1-30 % of a **fatty alc.**, 0.001-10 % of a nonionic surfactant, and 5-95 % water. A hair conditioner contained citric acid 0.15, methylparaben 0.2, propylparaben 0.05, panthenol 0.01, cetearyl alc. 2, stearyl alc. 1.2, cetyl alc. 2, propylene **glycol** 0.5, ceteareth 0.5, trimethylsilylamodimethicone 1, fragrances 0.5, pantethine 0.001, behentrimonium chloride 2.8, dilinoleamidorpopyldimethylamine dimer linoleate 1.4, Polyquaternium 37 2, octadodecyl fluoroheptyl citrate and cyclomethicone 1, isostearyl malate/lactate/**glycolate**/citrate 0.3, and distd. water to 100 %.  
 ST hair conditioner hydroxycarboxylic acid ester; isostearyl malate lactate **glycolate** citrate hair conditioner  
 IT Hydroxy carboxylic acids  
 RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses)  
 (esters; hair preps. contg. hydroxy acid esters and conditioning agents and fatty alcs.)  
 IT Hair conditioners  
 (hair preps. contg. hydroxy acid esters and conditioning agents and fatty alcs.)  
 IT Dimethyl cyclosiloxanes  
**Ethoxylated** cetostearyl alcohols  
**Fatty alcohols**  
 Polysiloxanes, biological studies  
 Quaternary ammonium compounds, biological studies  
 RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses)  
 (hair preps. contg. hydroxy acid esters and conditioning agents and fatty alcs.)  
 IT 112-02-7, Cetrimonium chloride 112-92-5, Stearyl alcohol 9016-00-6, Dimethylsilanediol homopolymer sru 17301-53-0, Behentrimonium chloride **26161-33-1**, Polyquaternium 37 31900-57-9, Dimethylsilanediol homopolymer 36653-82-4, Cetyl alcohol 42131-28-2, Isostearyl lactate 56854-73-0 60270-33-9D, dimer, linoleate salts 81613-56-1D, dimer, linoleate salts 93682-38-3 159317-32-5, Isostearyl **glycolate**  
 RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses)  
 (hair preps. contg. hydroxy acid esters and conditioning agents and fatty alcs.)  
 RE.CNT 4 THERE ARE 4 CITED REFERENCES AVAILABLE FOR THIS RECORD  
 RE  
 (1) Alzo Inc; Technical Bulltin on Dermol Alfa, Bulletin #227 1996  
 (2) Epstein; US 5759558 A 1998 HCAPLUS  
 (3) Fowler; US 5534265 A 1996 HCAPLUS  
 (4) Linn; US 4797273 A 1989 HCAPLUS  
 IT **26161-33-1**, Polyquaternium 37  
 RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses)  
 (hair preps. contg. hydroxy acid esters and conditioning agents and fatty alcs.)  
 RN 26161-33-1 HCAPLUS  
 CN Ethanaminium, N,N,N-trimethyl-2-[(2-methyl-1-oxo-2-propenyl)oxy]-, chloride, homopolymer (9CI) (CA INDEX NAME)

CM 1

CRN 5039-78-1  
CMF C9 H18 N O2 . Cl



● Cl<sup>-</sup>

L78 ANSWER 12 OF 27 HCAPLUS COPYRIGHT 2002 ACS

AN 1997:756974 HCAPLUS

DN 128:53040

TI Hair shampoo compositions containing a polyampholyte polymer and a nonvolatile and water-insoluble organopolysiloxane

IN Cauwet-martin, Daniele; Lion, Bertrand; Mondet, Jean

PA L'oreal, Fr.; Cauwet-Martin, Daniele; Lion, Bertrand; Mondet, Jean

SO PCT Int. Appl., 46 pp.

CODEN: PIXXD2

DT Patent

LA French

IC ICM A61K007-06

CC 62-3 (Essential Oils and **Cosmetics**)

Section cross-reference(s): 37

FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO 9742931	A1	19971120	WO 1997-FR792	19970505
	W: AL, AU, BA, BB, BG, BR, CA, CN, CU, CZ, EE, GE, GH, HU, IL, IS, JP, KP, KR, LC, LK, LR, LT, LV, MG, MK, MN, MX, NO, NZ, PL, RO, RU, SG, SI, SK, TR, TT, UA, US, UZ, VN, YU, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM RW: GH, KE, LS, MW, SD, SZ, UG, AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG				
	FR 2748392	A1	19971114	FR 1996-5917	19960513
	FR 2748392	B1	19980807		
	AU 9727811	A1	19971205	AU 1997-27811	19970505
	EP 906081	A1	19990407	EP 1997-921932	19970505
	R: AT, BE, CH, DE, ES, FR, GB, IT, LI, NL, SE				
	JP 11512752	T2	19991102	JP 1997-540572	19970505
PRAI	FR 1996-5917		19960513		
	WO 1997-FR792		19970505		
AB	A compn. for treating human hair contains a polyampholyte polymer comprising in the chain or in a lateral position relative to the chain, equimolar amts. of neg. charges and pos. charges, the polymer being water-insol. at 0.1% and at 20.degree. and a nonvolatile, water-insol. organopolysiloxane of viscosity higher than 3 x 10 <sup>-5</sup> m <sup>2</sup> /s (300 cSt). Thus, a shampoo contained cocoylbetaine 18, sodium styrenesulfonate-trimethylammonioethyl chloride copolymer 1, Mirasil DM-500,000 2, a 47:53 mixt. of 1-(hexadecyloxy)-2-octadecanol/cetyl <b>alc.</b> 2.5, coco <b>fatty</b> acid monoisopropanol <b>amide</b> 1, NaCl 2, perfume and preservatives qs, and water to 100 g.				
ST	organopolysiloxane polyampholyte polymer hair shampoo				
IT	Polysiloxanes, biological studies				

RL: BUU (Biological use, unclassified); BIOL (Biological study); USES  
(Uses)  
(Silbione 71827 and Mirasil DM 500000; shampoo compns. contg.  
polyampholyte polymer and organopolysiloxane)

IT Polysiloxanes, biological studies  
RL: BUU (Biological use, unclassified); BIOL (Biological study); USES  
(Uses)  
(alkyl aryl; shampoo compns. contg. polyampholyte polymer and  
organopolysiloxane)

IT Polysiloxanes, biological studies  
RL: BUU (Biological use, unclassified); BIOL (Biological study); USES  
(Uses)  
(aryl; shampoo compns. contg. polyampholyte polymer and  
organopolysiloxane)

IT Polysiloxanes, biological studies  
RL: BUU (Biological use, unclassified); BIOL (Biological study); USES  
(Uses)  
(polyoxyalkylene-, block; shampoo compns. contg. polyampholyte polymer  
and organopolysiloxane)

IT Polyoxyalkylenes, biological studies  
RL: BUU (Biological use, unclassified); BIOL (Biological study); USES  
(Uses)  
(polysiloxane-, block; shampoo compns. contg. polyampholyte polymer and  
organopolysiloxane)

IT Hair preparations  
Shampoos  
(shampoo compns. contg. polyampholyte polymer and organopolysiloxane)

IT Silicone rubber, biological studies  
RL: BUU (Biological use, unclassified); BIOL (Biological study); USES  
(Uses)  
(shampoo compns. contg. polyampholyte polymer and organopolysiloxane)

IT 6613-64-5D, copolymers 31324-84-2 38812-35-0 **41488-70-4**  
65205-78-9 65205-79-0 68864-72-2 89503-60-6D, copolymers  
117829-14-8 145378-84-3, Abil EM 90 **155863-55-1** 156309-05-6,  
Dimethylsilanediol-ethylene oxide-propylene oxide block copolymer  
192820-61-4 195868-36-1, Abil AV 1000 197022-88-1D, copolymers  
199858-03-2 199858-04-3 200013-84-9, DC 593  
RL: BUU (Biological use, unclassified); BIOL (Biological study); USES  
(Uses)  
(shampoo compns. contg. polyampholyte polymer and organopolysiloxane)

IT 86828-39-9P 98715-54-9P 199858-01-0P 199858-05-4P  
RL: BUU (Biological use, unclassified); SPN (Synthetic preparation); BIOL  
(Biological study); PREP (Preparation); USES (Uses)  
(shampoo compns. contg. polyampholyte polymer and organopolysiloxane)

IT **41488-70-4 155863-55-1**  
RL: BUU (Biological use, unclassified); BIOL (Biological study); USES  
(Uses)  
(shampoo compns. contg. polyampholyte polymer and organopolysiloxane)


RN 41488-70-4 HCAPLUS

CN 1-Propanaminium, N,N-dimethyl-N-[2-[(2-methyl-1-oxo-2-propenyl)oxy]ethyl]-  
3-sulfo-, inner salt, homopolymer (9CI) (CA INDEX NAME)

CM 1

CRN 3637-26-1

CMF C11 H21 N O5 S




RN 155863-55-1 HCAPLUS

CN 1-Propanaminium, N,N-diethyl-N-[2-[(2-methyl-1-oxo-2-propenyl)oxy]ethyl]-3-sulfo-, inner salt, homopolymer (9CI) (CA INDEX NAME)

CM 1

CRN 60162-24-5

CMF C13 H25 N O5 S



L78 ANSWER 13 OF 27 HCAPLUS COPYRIGHT 2002 ACS

AN 1997:542321 HCAPLUS

DN 127:210216

TI Photoprotective compositions

IN Tanner, Paul Robert; Wagner, Julie Ann

PA Procter &amp; Gamble Company, USA

SO PCT Int. Appl., 28 pp.

CODEN: PIXXD2

DT Patent

LA English

IC ICM A61K007-42

CC 62-4 (Essential Oils and **Cosmetics**)

Section cross-reference(s): 63

FAN: CNT 2

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO 9728785	A1	19970814	WO 1997-US1170	19970124
	W: AU, CA, CN, CZ, JP, KR, MX				
	RW: AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE				
	US 5759524	A	19980602	US 1996-599202	19960209
	AU 9717093	A1	19970828	AU 1997-17093	19970124
	AU 725142	B2	20001005		
	EP 893986	A1	19990203	EP 1997-903101	19970124
	R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, PT, IE, FI				
	JP 11504043	T2	19990406	JP 1997-528528	19970124
	CN 1213296	A	19990407	CN 1997-192949	19970124
PRAI	US 1996-599202	A	19960209		
	WO 1997-US1170	W	19970124		

AB The present invention relates to leave-on, skin-care compns., comprising:

(a) from about 0.1 % to about 30 % of a sunscreen active, (b) from about 0.5 % to about 20 % of a hydrophobic, structuring agent, (c) from about 0.2 % to about 10 % of a hydrophilic surfactant, (d) from about 0.1 % to about 5 % of a thickening agent, and (e) water. These compns. are useful for providing protection to human skin from the harmful effects of UV



radiation.

ST sunscreen formulation

IT **Ethoxylated** alcohols  
 RL: MOA (Modifier or additive use); THU (Therapeutic use); BIOL  
 (Biological study); USES (Uses)  
 (C16-18; photoprotective formulations)

IT **Fatty alcohols**  
**Glycols**, biological studies  
 RL: BUU (Biological use, unclassified); THU (Therapeutic use); BIOL  
 (Biological study); USES (Uses)  
 (C16-30; photoprotective formulations)

IT C16-18 alcohols  
 RL: MOA (Modifier or additive use); THU (Therapeutic use); BIOL  
 (Biological study); USES (Uses)  
 (**ethoxylated**; photoprotective formulations)

IT Surfactants  
 (hydrophilic; photoprotective formulations)

IT Fatty acids, biological studies  
 RL: BUU (Biological use, unclassified); THU (Therapeutic use); BIOL  
 (Biological study); USES (Uses)  
 (hydroxy, C16-30; photoprotective formulations)

IT Gums  
 Sunscreens  
 Thickening agents  
 UV radiation  
 (photoprotective formulations)

IT Polyoxyalkylenes, biological studies  
 Polysaccharides, biological studies  
 RL: MOA (Modifier or additive use); THU (Therapeutic use); BIOL  
 (Biological study); USES (Uses)  
 (photoprotective formulations)


IT Carboxylic acids, biological studies  
 RL: MOA (Modifier or additive use); THU (Therapeutic use); BIOL  
 (Biological study); USES (Uses)  
 (polymers; photoprotective formulations)

IT 56-81-5D, Glycerol, ethers  
 RL: BUU (Biological use, unclassified); THU (Therapeutic use); BIOL  
 (Biological study); USES (Uses)  
 (C16-30; photoprotective formulations)

IT 118-56-9, Homomenthyl salicylate 118-60-5, Octyl salicylate 131-57-7,  
 Oxybenzone 150-13-0, Paba 1314-13-2, Zinc oxide, biological studies  
 1332-37-2, Iron oxide, biological studies 5466-77-3, 2-Ethylhexyl  
 p-methoxycinnamate 6197-30-4, Octocrylene 13463-67-7, Titanium  
 dioxide, biological studies 15087-24-8, 3-Benzylidene camphor  
 21245-02-3, 2-Ethylhexyl N,N-dimethyl-p-aminobenzoate 27503-81-7,  
 2-Phenylbenzimidazole-5-sulfonic acid 36861-47-9, 3-(4-  
 Methylbenzylidene)camphor 56265-46-4 63250-25-9, 4-Isopropyl  
 dibenzoylmethane 70356-09-1, 4,4'-Methoxy-tert-butyl dibenzoylmethane  
 RL: BUU (Biological use, unclassified); PEP (Physical, engineering or  
 chemical process); THU (Therapeutic use); BIOL (Biological study); PROC  
 (Process); USES (Uses)  
 (photoprotective formulations)


IT 57-50-1D, Sucrose, allyl and cocoa derivs. 9003-01-4, Polyacrylic acid  
 9003-05-8, Polyacrylamide 9003-39-8, Poly(N-vinylpyrrolidone)  
 9005-00-9, Steareth-21 25322-68-3, **Polyethyleneglycol**  
**26161-33-1**, Polyquaternium 37 **35429-19-7**, Polyquaternium  
 32  
 RL: MOA (Modifier or additive use); THU (Therapeutic use); BIOL  
 (Biological study); USES (Uses)  
 (photoprotective formulations)

IT 77-99-6, Trimethylolpropane 78-79-5, Isoprene, reactions 97-90-5,  
Ethylene glycol dimethacrylate 106-99-0, Butadiene, reactions  
110-26-9, Methylene bisacrylamide 557-40-4, Diallylether 999-55-3,  
Allylacrylate 1321-74-0, Divinylbenzene, reactions 3784-12-1  
7370-82-3, Dimethacrylamide 13818-40-1, Cyanomethylacrylate  
41440-38-4, Vinyloxyethylacrylate 77221-84-2, Divinylnaphthalene  
RL: RCT (Reactant)  
(photoprotective formulations)  
IT 26161-33-1, Polyquaternium 37 35429-19-7, Polyquaternium  
32  
RL: MOA (Modifier or additive use); THU (Therapeutic use); BIOL  
(Biological study); USES (Uses)  
(photoprotective formulations)  
RN 26161-33-1 HCAPLUS  
CN Ethanaminium, N,N,N-trimethyl-2-[(2-methyl-1-oxo-2-propenyl)oxy]-,  
chloride, homopolymer (9CI) (CA INDEX NAME)  
  
CM 1  
  
CRN 5039-78-1  
CMF C9 H18 N O2 . Cl




● Cl<sup>-</sup>

RN 35429-19-7 HCAPLUS  
CN Ethanaminium, N,N,N-trimethyl-2-[(2-methyl-1-oxo-2-propenyl)oxy]-,  
chloride, polymer with 2-propenamide (9CI) (CA INDEX NAME)  
  
CM 1  
  
CRN 5039-78-1  
CMF C9 H18 N O2 . Cl



● Cl<sup>-</sup>

CM 2  
  
CRN 79-06-1  
CMF C3 H5 N O



L78 ANSWER 14 OF 27 HCAPLUS COPYRIGHT 2002 ACS  
 AN 1997:369695 HCAPLUS  
 DN 126:347155  
 TI Cosmetic compositions containing cationic resin and waxes  
 IN Sheard, Christine  
 PA Boots Company Plc, UK; Sheard, Christine  
 SO PCT Int. Appl., 21 pp.  
 CODEN: PIXXD2  
 DT Patent  
 LA English  
 IC ICM A61K007-48  
 CC 62-4 (Essential Oils and Cosmetics)  
 FAN.CNT 1

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9713497	A1	19970417	WO 1996-EP4393	19961009
W: AL, AM, AT, AU, AZ, BB, BG, BR, BY, CA, CH, CN, CZ, DE, DK, EE, ES, FI, GB, GE, HU, IL, IS, JP, KE, KG, KP, KR, KZ, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, TJ, TM, TR, TT, UA, UG, US, UZ, VN, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM RW: KE, LS, MW, SD, SZ, UG, AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA AU 9672893 A1 19970430 AU 1996-72893 19961009 EP 862410 A1 19980909 EP 1996-934606 19961009 R: DE, FR, GB ZA 9608552 A 19980610 ZA 1996-8552 19961010 PRAI GB 1995-20690 A 19951010 WO 1996-EP4393 W 19961009				


AB A cosmetic compn. comprises 0.05-5% hydrophilic cationic resin 30-85% oil component 1-40% wax component and 1-40 % wt./wt. powder component. The hydrophilic cationic resin may be water sol. or water swellable and may also be any mixt. of suitable homopolymers or copolymers, e.g., any mixt. of 1 or more Polyquaternium polymers or polymeric salts preferably those denoted by the CFTA name Polyquaternium. The cosmetic compn. is solid at ambient temp. and is suitable for use as a lipstick. A product comprising the compn. assocd. with a suitable receptacle and/or dispenser is also disclosed. Thus, a lipstick contained plant wax 6.4, paraffin wax 9.0, synthetic wax 2.3, synthetic fat 10.0, **fatty alc.** 20.7, synthetic ester 12.74, plant oil 26.24, preservative 0.1, antioxidant 0.03, Salcare SC96 2.25, butylene **glycol** 1.5, and pigment 8.74%.

ST lipstick wax cationic polymer; Polyquaternium lipstick wax oil  
 IT Antioxidants  
 Cosmetics  
 Lipsticks  
 Moisturizers (cosmetics)  
 Preservatives  
 Sunscreens  
 (cosmetic compns. contg. cationic resin and waxes)  
 IT Amino acids, biological studies  
 Fossil waxes  
 Paraffin oils  
 Paraffin waxes, biological studies

CN Ethanaminium, N,N,N-trimethyl-2-[(2-methyl-1-oxo-2-propenyl)oxy]-, methyl sulfate, homopolymer (9CI) (CA INDEX NAME)

CM 1

CRN 33611-56-2  
CMF C9 H18 N O2



CM 2

CRN 21228-90-0  
CMF C H3 O4 S

Me-O-SO<sub>3</sub><sup>-</sup>

RN 189767-71-3 HCAPLUS

L78 ANSWER 15 OF 27 HCAPLUS COPYRIGHT 2002 ACS

AN 1997:329281 HCAPLUS

DN 126:308638

TI Body wash compositions containing anionic cleansing surfactants polymeric cationic conditioning compounds and quaternized phosphate esters

IN Scafidi, Anthony A.

PA Helene Curtis, Inc., USA

SO PCT Int. Appl., 59 pp.

CODEN: PIXXD2

DT Patent

LA English

IC ICM A61K007-50

CC 62-4 (Essential Oils and Cosmetics)

FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO 9710804	A1	19970327	WO 1996-US14410	19960909
	W: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, HU, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, TJ, TM, TR, TT, UA, UG, UZ, VN, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				
	RW: KE, LS, MW, SD, SZ, UG, AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI				
	US 5683683	A	19971104	US 1995-531712	19950921
	ZA 9607294	A	19970304	ZA 1996-7294	19960828
	AU 9669697	A1	19970409	AU 1996-69697	19960909
	BR 9610522	A	19990706	BR 1996-10522	19960909
PRAI	US 1995-531712	A	19950921		
	WO 1996-US14410	W	19960909		
OS	MARPAT 126:308638				
AB	A body wash compn. contg. an anionic cleansing surfactant, such as an alkyl ether sulfate or an alkyl sulfate, like sodium lauryl ether sulfate or sodium lauryl sulfate; a polymeric cationic conditioning compd., such				

as a quaternized guar gum; and a quaternized phosphate ester in an aq. carrier is disclosed. The compn. is used to cleanse and to impart conditioning properties to the skin. A body wash compn. contained sodium lauryl ether sulfate 12.0, a premixed surfactant conc. 3.6, cocamide MEA 7.0, preservatives 0.5, guar hydroxypropyltrimonium chloride 0.2, tetrasodium ethylenediamine tetraacetic acid 0.08, citric acid 0.15, palmitic acid 2.0, stearamidopropyl phosphatidyl PG-dimonium chloride 0.4, cocamidopropyl hydroxysulfate 1.9, titanium dioxide 0.2, and water q.s. 100%.

ST body wash compn anionic surfactant; cleansing compn cationic polymer conditioner; quaternized phosphate ester cleansing compn

IT Sulfonates

RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses)

(1-alkene; body wash compns. contg. anionic cleansing surfactants polymeric cationic conditioning compds. and quaternized phosphate esters)

IT **Fatty amides**

RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses)

(N,N-bis(hydroxyalkyl); body wash compns. contg. anionic cleansing surfactants polymeric cationic conditioning compds. and quaternized phosphate esters)

IT Coco amides

RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses)

(N-(hydroxyethyl); body wash compns. contg. anionic cleansing surfactants polymeric cationic conditioning compds. and quaternized phosphate esters)

IT Carboxylic acids, biological studies

RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses)

(alkyl esters; body wash compns. contg. anionic cleansing surfactants polymeric cationic conditioning compds. and quaternized phosphate esters)

IT Carbonates, biological studies

Sulfates, biological studies

RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses)

(alkyl; body wash compns. contg. anionic cleansing surfactants polymeric cationic conditioning compds. and quaternized phosphate esters)

IT Fats and Glyceridic oils, biological studies

RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses)

(almond; body wash compns. contg. anionic cleansing surfactants polymeric cationic conditioning compds. and quaternized phosphate esters)

IT Fats and Glyceridic oils, biological studies

RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses)

(apricot kernel; body wash compns. contg. anionic cleansing surfactants polymeric cationic conditioning compds. and quaternized phosphate esters)

IT Fats and Glyceridic oils, biological studies

RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses)

(bay; body wash compns. contg. anionic cleansing surfactants polymeric cationic conditioning compds. and quaternized phosphate esters)

IT Alkali metal salts

Alkanesulfonates  
 Amphoteric surfactants  
 Anionic surfactants  
 Avocado oil  
 Castor oil  
 Cationic polyelectrolytes  
 Coconut oil  
 Cod-liver oil  
 Corn oil  
 Cottonseed oil  
**Ethoxylated** castor oil  
 Fatty acids, biological studies  
 Grape seed oil  
 Hydrogenated castor oil  
 Hydrogenated vegetable oils  
 Linseed oil  
 Menhaden oil  
 Nonionic surfactants  
 Olive oil  
 Palm kernel oil  
 Palm oil  
 Peanut oil  
 Petrolatum  
 Phospholipids, biological studies  
 Quaternary ammonium compounds, biological studies  
 Rape oil  
 Rice bran oil  
 Safflower oil  
 Sesame oil  
 Skin cleansers  
 Soybean oil  
 Soybean proteins  
 Sugar esters  
 Sunflower oil  
 Tall oil  
 Wheat germ oil  
 N,N-Bis(hydroxyethyl) coco amides

RL: BUU (Biological use, unclassified); BIOL (Biological study); USES  
 (Uses)

(body wash compns. contg. anionic cleansing surfactants polymeric  
 cationic conditioning compds. and quaternized phosphate esters)

IT Vegetable oils

RL: BUU (Biological use, unclassified); BIOL (Biological study); USES  
 (Uses)

(chaulmoogra oil; body wash compns. contg. anionic cleansing  
 surfactants polymeric cationic conditioning compds. and quaternized  
 phosphate esters)

IT Hydrogenated vegetable oils

RL: BUU (Biological use, unclassified); BIOL (Biological study); USES  
 (Uses)

(cottonseed; body wash compns. contg. anionic cleansing surfactants  
 polymeric cationic conditioning compds. and quaternized phosphate  
 esters)

IT Polyhydric alcohols

RL: BUU (Biological use, unclassified); BIOL (Biological study); USES  
 (Uses)

(esters; body wash compns. contg. anionic cleansing surfactants  
 polymeric cationic conditioning compds. and quaternized phosphate  
 esters)

IT **Fatty alcohols**

- RL: BUU (Biological use, unclassified); BIOL (Biological study); USES  
(Uses)  
(**ethoxylated**; body wash compns. contg. anionic cleansing  
surfactants polymeric cationic conditioning compds. and quaternized  
phosphate esters)
- IT **Ethoxylated alcohols**  
RL: BUU (Biological use, unclassified); BIOL (Biological study); USES  
(Uses)  
(**fatty**; body wash compns. contg. anionic cleansing  
surfactants polymeric cationic conditioning compds. and quaternized  
phosphate esters)
- IT Fats and Glyceridic oils, biological studies  
RL: BUU (Biological use, unclassified); BIOL (Biological study); USES  
(Uses)  
(hazelnut; body wash compns. contg. anionic cleansing surfactants  
polymeric cationic conditioning compds. and quaternized phosphate  
esters)
- IT Olive oil  
RL: BUU (Biological use, unclassified); BIOL (Biological study); USES  
(Uses)  
(husk; body wash compns. contg. anionic cleansing surfactants polymeric  
cationic conditioning compds. and quaternized phosphate esters)
- IT Hydrogenated vegetable oils  
RL: BUU (Biological use, unclassified); BIOL (Biological study); USES  
(Uses)  
(hydrogenated palm kernel oil; body wash compns. contg. anionic  
cleansing surfactants polymeric cationic conditioning compds. and  
quaternized phosphate esters)
- IT Hydrogenated vegetable oils  
RL: BUU (Biological use, unclassified); BIOL (Biological study); USES  
(Uses)  
(hydrogenated palm oil; body wash compns. contg. anionic cleansing  
surfactants polymeric cationic conditioning compds. and quaternized  
phosphate esters)
- IT Cottonseed oil  
Jojoba oil  
Menhaden oil  
Palm kernel oil  
Palm oil  
Peanut oil  
RL: BUU (Biological use, unclassified); BIOL (Biological study); USES  
(Uses)  
(hydrogenated; body wash compns. contg. anionic cleansing surfactants  
polymeric cationic conditioning compds. and quaternized phosphate  
esters)
- IT Sulfobetaines  
RL: BUU (Biological use, unclassified); BIOL (Biological study); USES  
(Uses)  
(hydroxypropyl derivs.; body wash compns. contg. anionic cleansing  
surfactants polymeric cationic conditioning compds. and quaternized  
phosphate esters)
- IT Hydrogenated oils  
RL: BUU (Biological use, unclassified); BIOL (Biological study); USES  
(Uses)  
(menhaden oil; body wash compns. contg. anionic cleansing surfactants  
polymeric cationic conditioning compds. and quaternized phosphate  
esters)
- IT Animal fats  
RL: BUU (Biological use, unclassified); BIOL (Biological study); USES  
(Uses)

- (mink; body wash compns. contg. anionic cleansing surfactants polymeric cationic conditioning compds. and quaternized phosphate esters)
- IT Fats and Glyceridic oils, biological studies  
 RL: BUU (Biological use, unclassified); BIOL (Biological study); USES  
 (Uses)  
 (moringa; body wash compns. contg. anionic cleansing surfactants polymeric cationic conditioning compds. and quaternized phosphate esters)
- IT Fats and Glyceridic oils, biological studies  
 RL: BUU (Biological use, unclassified); BIOL (Biological study); USES  
 (Uses)  
 (neat's-foot; body wash compns. contg. anionic cleansing surfactants polymeric cationic conditioning compds. and quaternized phosphate esters)
- IT Lanolin  
 RL: BUU (Biological use, unclassified); BIOL (Biological study); USES  
 (Uses)  
 (oil; body wash compns. contg. anionic cleansing surfactants polymeric cationic conditioning compds. and quaternized phosphate esters)
- IT Fats and Glyceridic oils, biological studies  
 RL: BUU (Biological use, unclassified); BIOL (Biological study); USES  
 (Uses)  
 (pengawar djambi; body wash compns. contg. anionic cleansing surfactants polymeric cationic conditioning compds. and quaternized phosphate esters)
- IT **Fatty alcohols**  
 RL: BUU (Biological use, unclassified); BIOL (Biological study); USES  
 (Uses)  
 (**propoxylated**; body wash compns. contg. anionic cleansing surfactants polymeric cationic conditioning compds. and quaternized phosphate esters)
- IT Fish oils  
 RL: BUU (Biological use, unclassified); BIOL (Biological study); USES  
 (Uses)  
 (shark-liver oil, hydrogenated; body wash compns. contg. anionic cleansing surfactants polymeric cationic conditioning compds. and quaternized phosphate esters)
- IT Amides, biological studies  
 RL: BUU (Biological use, unclassified); BIOL (Biological study); USES  
 (Uses)  
 (tallow, N,N-bis(hydroxyethyl); body wash compns. contg. anionic cleansing surfactants polymeric cationic conditioning compds. and quaternized phosphate esters)
- IT Fats and Glyceridic oils, biological studies  
 RL: BUU (Biological use, unclassified); BIOL (Biological study); USES  
 (Uses)  
 (walnut; body wash compns. contg. anionic cleansing surfactants polymeric cationic conditioning compds. and quaternized phosphate esters)
- IT 142-54-1, Lauramide MIPA  
 RL: BUU (Biological use, unclassified); BIOL (Biological study); USES  
 (Uses)  
 (Lauramide MIPA; body wash compns. contg. anionic cleansing surfactants polymeric cationic conditioning compds. and quaternized phosphate esters)
- IT 93-82-3, Stearamide dea 93-83-4, Oleylamide dea 107-36-8 107-43-7, Betaine 107-43-7D, Betaine, cocoamidopropyl derivs. 111-05-7, Oleamide MIPA 111-57-9, Stearamide mea 120-40-1, Lauramide dea 151-41-7, Lauryl sulfate 871-37-4, Oleyl betaine 1330-69-4, Dodecylbenzene sulfonate 4292-10-8, Lauramidopropylbetaine 5138-18-1D, Sulfosuccinic



acid, salts 7545-23-5, Myristamide dea 7664-38-2D, Phosphoric acid, quaternized esters 8008-53-5, Ethiodized oil 9004-84-6, Trideceth sulfate 25054-76-6, Oleamidopropyl betaine 26006-22-4, Polyquaternium 5 26062-79-3, Polyquaternium 6 26183-44-8, Lauryl ether sulfate 26590-05-6, Polyquaternium 7 26912-46-9, Nonoxynol phosphate 27103-90-8, Polyquaternium 14 28518-51-6, Lauryl sulfosuccinate 34380-77-3, Lauryl sarcosinate 35429-19-7, Polyquaternium 15 39288-04-5, Octoxynol phosphate 52794-79-3, Isostearamide dea 53633-54-8, Polyquaternium 11 53694-17-0, Polyquaternium 22 53998-08-6, Sarcosinate 54536-43-5, Isostearamide mea 63451-27-4, Polyquaternium 2 65497-29-2, Guar hydroxypropyltrimonium chloride 68877-47-4, Polyquaternium 13 68877-50-9, Polyquaternium 12 75345-27-6, Polyquaternium 1 79083-17-3, Laureth sulfosuccinate 81859-24-7, Polyquaternium 10 92183-41-0, Polyquaternium 4 95144-24-4, Polyquaternium 16 98616-25-2, Polyquaternium 24 110736-85-1, Polyquaternium 19 110736-86-2, Polyquaternium 20 113784-58-0, Polyquaternium 18 130291-58-6, Polyquaternium 9 131954-48-8, Polyquaternium 28 132977-85-6, Polyquaternium 27 146189-14-2, Polyquaternium 8 147398-77-4, Polyquaternium 30 148506-50-7, Polyquaternium 17 148880-30-2, Polyquaternium 29

RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses)

(body wash compns. contg. anionic cleansing surfactants polymeric cationic conditioning compds. and quaternized phosphate esters)

IT 17655-31-1, Amide

RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses)

(oxides; body wash compns. contg. anionic cleansing surfactants polymeric cationic conditioning compds. and quaternized phosphate esters)

IT 26006-22-4, Polyquaternium 5 27103-90-8, Polyquaternium 14 35429-19-7, Polyquaternium 15 147398-77-4, Polyquaternium 30

RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses)

(body wash compns. contg. anionic cleansing surfactants polymeric cationic conditioning compds. and quaternized phosphate esters)


RN 26006-22-4 HCAPLUS

CN Ethanaminium, N,N,N-trimethyl-2-[(2-methyl-1-oxo-2-propenyl)oxy]-, methyl sulfate, polymer with 2-propenamide (9CI) (CA INDEX NAME)

CM 1

CRN 79-06-1

CMF C3 H5 N O




CM 2

CRN 6891-44-7

CMF C9 H18 N O2 . C H3 O4 S


CM 3

CRN 33611-56-2  
CMF C9 H18 N O2



CM 4


CRN 21228-90-0  
CMF C H3 O4 S



RN 27103-90-8 HCAPLUS  
CN Ethanaminium, N,N,N-trimethyl-2-[(2-methyl-1-oxo-2-propenyl)oxy]-, methyl sulfate, homopolymer (9CI) (CA INDEX NAME)


CM 1

CRN 33611-56-2  
CMF C9 H18 N O2



CM 2


CRN 21228-90-0  
CMF C H3 O4 S



RN 35429-19-7 HCAPLUS  
CN Ethanaminium, N,N,N-trimethyl-2-[(2-methyl-1-oxo-2-propenyl)oxy]-, chloride, polymer with 2-propenamide (9CI) (CA INDEX NAME)

CM 1

CRN 5039-78-1  
CMF C9 H18 N O2 . Cl




● Cl<sup>-</sup>

CM 2

CRN 79-06-1

CMF C3 H5 N O




RN 147398-77-4 HCAPLUS

CN Ethanaminium, N-(carboxymethyl)-N,N-dimethyl-2-[(2-methyl-1-oxo-2-propenyl)oxy]-, inner salt, polymer with methyl 2-methyl-2-propenoate (9CI) (CA INDEX NAME)

CM 1

CRN 62723-61-9


CMF C10 H17 N O4



CM 2

CRN 80-62-6

CMF C5 H8 O2



L78 ANSWER 16 OF 27 HCAPLUS COPYRIGHT 2002 ACS

AN 1997:283674 HCAPLUS

DN 126:268310

TI Conditioning and washing hair care compositions containing **fatty alcohols** and surfactants

IN Cervantes, Frederic; Lopez, Juan

KATHLEEN FULLER EIC 1700/LAW LIBRARY 308-4290

PA L'Oreal S. A., Fr.  
 SO Eur. Pat. Appl., 11 pp.  
 CODEN: EPXXDW  
 DT Patent  
 LA French  
 IC ICM A61K007-50  
 ICS A61K007-06  
 CC 62-3 (Essential Oils and Cosmetics)  
 FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	EP 761206	A1	19970312	EP 1996-401645	19960723
	EP 761206	B1	19980128		
	R: AT, BE, CH, DE, ES, FR, GB, IT, LI, NL, SE				
	FR 2738482	A1	19970314	FR 1995-10484	19950907
	FR 2738482	B1	19971024		
	AT 162708	E	19980215	AT 1996-401645	19960723
	ES 2117476	T3	19980801	ES 1996-401645	19960723
	CA 2184628	AA	19970308	CA 1996-2184628	19960830
	JP 09110653	A2	19970428	JP 1996-235587	19960905
	JP 2756440	B2	19980525		
	BR 9604214	A	19980526	BR 1996-4214	19960905
	US 5756076	A	19980526	US 1996-708616	19960905
	RU 2129859	C1	19990510	RU 1996-117954	19960906
PRAI	FR 1995-10484	A	19950907		

OS MARPAT 126:268310

AB Hair conditioning preps. contain (1) a conditioner system comprising a C14-22 **fatty alc.**, a cationic surfactant such as quaternary ammonium derivs., and a cationic silicone; (2) an alkylpolyglycoside non-ionic surfactant, an amphoteric surfactants such as betaines; (3) and a stabilizer system comprising **glycol** mono- or di-stearate and a crosslinked polymer such as methacryloyloxyethyltrimethylammonium chloride. A hair conditioner contained 40% C9-11 alkyl polyglycoside 14, 50% cocoylamidopropyldimethylhydroxypropyl sulfobetaine 2.5, cetylstearyl alc. 5, Slacare SC 92 0.5, **glycol** distearate 2, 80% behenyltrimethylammonium chloride 2.4, cationic silicone 0.88, preservatives q.s. and water q.s. 100 g.

ST hair conditioner **fatty alc** surfactant; sulfobetaine polyglycoside cetylstearyl alc hair conditioner

IT **Fatty alcohols**

RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses)

(C14-22; hair conditioning preps. contg. fatty alcs. and surfactants)

IT Polysiloxanes, biological studies

RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses)

([(aminoethyl)amino]propyl hydroxy, di-Me; hair conditioning preps. contg. fatty alcs. and surfactants)

IT Glycosides

RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses)

(alkyl polyglycosides; hair conditioning preps. contg. fatty alcs. and surfactants)

IT Polysiloxanes, biological studies

RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses)

(cationic; hair conditioning preps. contg. fatty alcs. and surfactants)

IT Hair conditioners

(hair conditioning preps. contg. fatty alcs. and surfactants)

IT Betaines  
Cationic surfactants  
C16-18 **alcohols**  
Nonionic surfactants  
Quaternary ammonium compounds, biological studies  
Zwitterionic surfactants  
RL: BUU (Biological use, unclassified); BIOL (Biological study); USES  
(Uses)  
(hair conditioning preps. contg. **fatty** alcs. and surfactants)


IT 107-64-2, Distearyltrimethylammonium chloride 111-60-4, **Glycol**  
Monostearate 112-02-7, Hexadecyltrimethylammonium chloride 112-92-5,  
1-Octadecanol 627-83-8, **Glycol** di-stearate 17301-53-0,  
Behenyltrimethylammonium chloride 24938-91-8, **Polyethyleneglycol**  
tridecyl ether **26161-33-1**, Methacryloxyethyltrimethylammonium  
chloride homopolymer 35429-19-7 36653-82-4, 1-Hexadecanol  
86880-59-3D, N-cocoyl derivs.  
RL: BUU (Biological use, unclassified); BIOL (Biological study); USES  
(Uses)  
(hair conditioning preps. contg. fatty alcs. and surfactants)

IT **26161-33-1**, Methacryloxyethyltrimethylammonium chloride  
homopolymer  
RL: BUU (Biological use, unclassified); BIOL (Biological study); USES  
(Uses)  
(hair conditioning preps. contg. fatty alcs. and surfactants)

RN 26161-33-1 HCAPLUS  
CN Ethanaminium, N,N,N-trimethyl-2-[(2-methyl-1-oxo-2-propenyl)oxy]-,  
chloride, homopolymer (9CI) (CA INDEX NAME)

CM 1

CRN 5039-78-1  
CMF C9 H18 N O2 . Cl



● Cl<sup>-</sup>

L78 ANSWER 17 OF 27 HCAPLUS COPYRIGHT 2002 ACS  
AN 1997:259250 HCAPLUS  
DN 126:242600  
TI Permanent wave **compositions** containing quaternary  
ammonium-containing polymers  
IN Tabata, Yoshiko; Hirano, Rei; Shimada, Yoshio; Kajino, Takayoshi  
PA Kao Corp, Japan  
SO Jpn. Kokai Tokkyo Koho, 6 pp.  
CODEN: JKXXAF  
DT Patent  
LA Japanese  
IC ICM A61K007-09  
CC 62-3 (Essential Oils and **Cosmetics**)

FAN.CNT 1


	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	JP 09030939	A2	19970204	JP 1995-179914	19950717
AB	Title <b>compns.</b> , which show long-lasting hair-conditioning effects, comprise 1st agents contg. reducing agents and copolymers comprising 60-99 wt.% di(m)ethyldiallylammonium chlorides and 1-40 wt.% (meth)acrylic acid and 2nd <b>agents</b> contg. <b>oxidizing agents</b> and copolymers comprising 30-60 wt.% di(m)ethyldiallylammonium chlorides and 10-40 wt.% (meth)acrylamide. A hair wave-setting <b>compn.</b> comprised a 1st agent consisting of thioglycolic acid 6.5, NH <sub>4</sub> HCO <sub>3</sub> 3.0, NH <sub>3</sub> , propylene glycol 1.0, polyoxyethylene sec-tetradecyl ether 1.0, Merquat 280 (40%) 1.0, and H <sub>2</sub> O to 100.0% and a 2nd agent consisting of NaBrO <sub>3</sub> 8.0, propylene glycol 1.0, polyoxyethylene sec-tetradecyl ether 1.0, Merquat Plus 3330 (40%) 1.0, and H <sub>2</sub> O to 100.0%.				
ST	permanent wave quaternary ammonium polymer; hair wave setting quaternary ammonium polymer				
IT	Permanent wave preparations (permanent wave <b>compns.</b> contg. quaternary ammonium-contg. polymers)				
IT	Acidic polysaccharides Polysiloxanes RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses) (permanent wave <b>compns.</b> contg. quaternary ammonium-contg. polymers)				
IT	Quaternary ammonium compounds, biological studies RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses) (polymers; permanent wave <b>compns.</b> contg. quaternary ammonium-contg. polymers)				
IT	53694-17-0, Merquat 295 RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses) (Merquat 295, Merquat 280; permanent wave <b>compns.</b> contg. quaternary ammonium-contg. polymers)				
IT	<b>188488-06-4</b> , 2-Hydroxyethyl methacrylate-methacryloylethyldimethylbetaine-methacryloylethyltrimethylammonium chloride copolymer RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses) (Plassize L 450; permanent wave <b>compns.</b> contg. quaternary ammonium-contg. polymers)				
IT	9005-38-3, Sodium alginate 9016-00-6, Dimethyl siloxane, sru 25136-75-8, 2-Propen-1-aminium, N,N-dimethyl-N-2-propenyl-, chloride, polymer with 2-propenamide and 2-propenoic acid 31900-57-9, Dimethylsilanediol homopolymer <b>79702-43-5</b> , Plassize L 401 RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses) (permanent wave <b>compns.</b> contg. quaternary ammonium-contg. polymers)				
IT	<b>188488-06-4</b> , 2-Hydroxyethyl methacrylate-methacryloylethyldimethylbetaine-methacryloylethyltrimethylammonium chloride copolymer RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses) (Plassize L 450; permanent wave <b>compns.</b> contg. quaternary ammonium-contg. polymers)				
RN	188488-06-4 HCAPLUS				

CN Ethanaminium, N-(carboxymethyl)-N,N-dimethyl-2-[(2-methyl-1-oxo-2-propenyl)oxy]-, inner salt, polymer with 2-hydroxyethyl 2-methyl-2-propenoate and N,N,N-trimethyl-2-[(2-methyl-1-oxo-2-propenyl)oxy]ethanaminium chloride (9CI) (CA INDEX NAME)

CM 1

CRN 62723-61-9


CMF C10 H17 N O4



CM 2

CRN 5039-78-1

CMF C9 H18 N O2 . Cl




● Cl<sup>-</sup>

CM 3

CRN 868-77-9

CMF C6 H10 O3



IT 79702-43-5, Plassize L 401

RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses)

(permanent wave **compns.** contg. quaternary ammonium-contg. polymers)


RN 79702-43-5 HCAPLUS

CN Ethanaminium, N-(carboxymethyl)-N,N-dimethyl-2-[(2-methyl-1-oxo-2-propenyl)oxy]-, inner salt, homopolymer (9CI) (CA INDEX NAME)

CM 1

CRN 62723-61-9

CMF C10 H17 N O4



L78 ANSWER 18 OF 27 HCAPLUS COPYRIGHT 2002 ACS

AN 1997:231116 HCAPLUS

DN 126:216434

TI Hair-waving composition containing hydrophobic substance and cationic polymer

IN Rose, Burkhard; Noecker, Bernd

PA Goldwell Gmbh, Germany

SO Ger. Offen., 4 pp.

CODEN: GWXXBX

DT Patent

LA German

IC ICM A61K007-09

CC 62-3 (Essential Oils and Cosmetics)


FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	DE 19534722	A1	19970320	DE 1995-19534722	19950919
	DE 19534722	C2	19980409		
	DE 19534722	C3	20020110		
	JP 09110655	A2	19970428	JP 1996-243015	19960913
PRAI	DE 1995-19534722	A	19950919		

AB A hair-waving compn. which does not damage the hair or irritate or sensitize the skin contains a thio reducing agent, a hydrophobic substance (synthetic or natural fat or oil, **fatty alc., fatty ester**) 0.05-5, and a cationic polymer 0.1-5 wt.%. Such preps. confer good elasticity and combability and a beautiful luster on the hair. Thus, hair in rollers was exposed for 20-30 min to an oxidizing compn. contg. 80% thioglycolic acid 13.50, monoethanolamine 5.10, 25% NH<sub>3</sub> soln. 5.80, 2-pyrrolidone-5-carboxylic acid 0.25, protein hydrolyzate 0.30, cetyltrimethylammonium chloride 0.45, cetareth-25 0.25, **ethoxylated** castor oil 0.35, hydrogenated **ethoxylated** castor oil 0.60, coco amidopropylbetaine 0.25, 1,3-butanediol 0.75, Vaseline 0.20, avocado oil 0.20, bisabolol 0.50, urea 0.25, DC 929 silicone oil emulsion 0.20, NH<sub>4</sub>HCO<sub>3</sub> 5.00, Polyquaternium-5 (cationic polymer) 0.75, and H<sub>2</sub>O to 100.00 wt.%. After rinsing, the hair was fixed with a compn. contg. H<sub>2</sub>O<sub>2</sub> 2.5, cetyl stearyl alc. 2.0, Na lauryl ether sulfate 1.2, C12-14-alkyl polyglycol ether 1.0, stabilizer, perfume, and H<sub>2</sub>O to 100.0 wt.%.  
 ST hair waving lipid cationic polymer; hydrophobic compd hair waving compn; oil Polyquaternium hair waving compn  
 IT Cationic polyelectrolytes  
 (esters; hair-waving compn. contg. hydrophobic substance and cationic polymer)  
 IT Avocado oil  
 Fats and Glyceridic oils  
 Fatty acid esters  
**Fatty alcohols**  
 Lipids, biological studies  
 Thiols (organic), biological studies  
 RL: BUU (Biological use, unclassified); BIOL (Biological study); USES




(Uses)  
 (hair-waving compn. contg. hydrophobic substance and cationic polymer)  
 IT 68-11-1, Thioglycolic acid, biological studies 26006-22-4,  
 Polyquaternium-5  
 RL: BUU (Biological use, unclassified); BIOL (Biological study); USES  
 (Uses)  
 (hair-waving compn. contg. hydrophobic substance and cationic polymer)  
 IT 26006-22-4, Polyquaternium-5  
 RL: BUU (Biological use, unclassified); BIOL (Biological study); USES  
 (Uses)  
 (hair-waving compn. contg. hydrophobic substance and cationic polymer)  
 RN 26006-22-4 HCAPLUS  
 CN Ethanaminium, N,N,N-trimethyl-2-[(2-methyl-1-oxo-2-propenyl)oxy]-, methyl  
 sulfate, polymer with 2-propenamide (9CI) (CA INDEX NAME)  
 CM 1  
 CRN 79-06-1  
 CMF C3 H5 N O




CM 2  
 CRN 6891-44-7  
 CMF C9 H18 N O2 . C H3 O4 S

CM 3  
 CRN 33611-56-2  
 CMF C9 H18 N O2



CM 4  
 CRN 21228-90-0  
 CMF C H3 O4 S



L78 ANSWER 19 OF 27 HCAPLUS COPYRIGHT 2002 ACS  
 AN 1996:537034 HCAPLUS  
 DN 125:176982  
 TI Aerosol-type hair-setting sprays containing polymers and fatty acid  
 derivatives  
 IN Suzuki, Yoshinori; Yamagata, Yoshibumi; Yanaba, Shigeru

PA Lion Corp, Japan  
 SO Jpn. Kokai Tokkyo Koho, 7 pp.  
 CODEN: JKXXAF  
 DT Patent  
 LA Japanese  
 IC ICM A61K007-11  
 ICA A61K007-00  
 CC 62-3 (Essential Oils and Cosmetics)  
 FAN.CNT.1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	JP 08157341	A2	19960618	JP 1994-323538	19941201
AB	Aerosol-type hair sprays contain hair-fixing polymers, branched alc. fatty acid esters, and fatty acid diethanolamides. The prepsns. show good hair-setting property and are easily removed by shampooing. An aerosol was formulated contg. Plascize L 9400B 10.0, iso-Pr myristate 1.0, coconut fatty acid diethanolamide 0.5, di-Me ether 10, LPG 40, and EtOH to 100% by wt.				
ST	hair setting fatty ester diethanolamide; aerosol hair setting spray polymer; branched alc ester hair setting				
IT	Alcohols, biological studies RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses) (branched, esters; aerosol-type hair-setting sprays contg. polymers, fatty acid esters, and fatty acid diethanolamides)				
IT	Amides, biological studies RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses) (coco, C.lto req.14; aerosol-type hair-setting sprays contg. polymers, fatty acid esters, and fatty acid diethanolamides)				
IT	Fatty acids, biological studies RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses) (esters, with branched alcs.; aerosol-type hair-setting sprays contg. polymers, fatty acid esters, and fatty acid diethanolamides)				
IT	Hair preparations (sprays, aerosol-type hair-setting sprays contg. polymers, fatty acid esters, and fatty acid diethanolamides)				
IT	93-82-3, Stearic acid diethanolamide 110-27-0, Isopropyl myristate 111-42-2D, Diethanolamine, amides, with fatty acids 120-40-1, Lauric acid diethanolamide 136-26-5, Capric acid diethanolamide 142-91-6, Isopropyl palmitate 7545-23-5, Myristic acid diethanolamide 25377-64-4 42131-25-9, Isononyl isononanoate 54578-91-5, Gantrez ES 425 55353-56-5, Amphomer 28-4910 96518-24-0, Isotridecyl myristate 136372-47-9, Yukaformer AM 75R205S 143793-03-7, Plascize L 9400B 180616-05-1, Plascize L 7400B 180616-06-2, Plascize L 7480B 180616-07-3, Plascize L 9480B RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses) (aerosol-type hair-setting sprays contg. polymers, fatty acid esters, and fatty acid diethanolamides)				
IT	136372-47-9, Yukaformer AM 75R205S RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses) (aerosol-type hair-setting sprays contg. polymers, fatty acid				

esters, and fatty acid diethanolamides)


RN 136372-47-9 HCAPLUS

CN Ethanaminium, N-(carboxymethyl)-N,N-dimethyl-2-[(2-methyl-1-oxo-2-propenyl)oxy]-, inner salt, polymer with butyl 2-methyl-2-propenoate (9CI)  
(CA INDEX NAME)

CM 1

CRN 62723-61-9


CMF C10 H17 N O4



CM 2

CRN 97-88-1

CMF C8 H14 O2



L78 ANSWER 20 OF 27 HCAPLUS COPYRIGHT 2002 ACS

AN 1994:707973 HCAPLUS

DN 121:307973

TI Cosmetic compositions with one or more alkyl glycoside uronate anionic surfactants and one or more organopolysiloxanes, and their use in treating keratin-containing material.

IN Cauwet, Daniele; Dubief, Claude

PA Oreal S. A., Fr.

SO Fr. Demande, 25 pp.

CODEN: FRXXBL

DT Patent

LA French

IC ICM A61K007-075

ICS A61K007-50; A61K007-48

CC 62-1 (Essential Oils and Cosmetics)

FAN.CNT 1

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
FR 2702145	A1	19940909	FR 1993-6528	19930601
FR 2702145	B1	19940909		
WO 9427571	A1	19941208	WO 1994-FR629	19940531
W: AT, AU, BB, BG, BR, BY, CA, CH, CN, CZ, DE, DK, ES, FI, GB, HU, JP, KG, KP, KR, KZ, LK, LU, LV, MD, MG, MN, MW, NL, NO, NZ, PL, PT, RO, RU, SD, SE, SI, SK, TJ, TT, UA, US, UZ, VN				
RW: AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG				
AU 9468506	A1	19941220	AU 1994-68506	19940531
EP 701429	A1	19960320	EP 1994-917067	19940531

EP 701429 B1 19970423  
 R: DE, ES, FR, GB, IT  
 JP 08510463 T2 19961105 JP 1994-500318 19940531  
 ES 2100716 T3 19970616 ES 1994-917067 19940531  
 US 6375958 B1 20020423 US 1997-999666 19970902  
 PRAI FR 1993-6528 A 19930601  
 WO 1994-FR629 W 19940531  
 US 1995-556908 A1 19951129  
 OS MARPAT 121:307973  
 AB Cosmetics are disclosed which contain .gtoreq.1 alkyl glycoside uronate anionic surfactant (Markush included), e.g. decyl .alpha.-D-galactopyranoside uronate sodium salt, and .gtoreq.1 organopolysiloxane, e.g. polydimethylsiloxane. Shampoo and bath compns. are included.  
 ST cosmetic alkyl glycoside uronate surfactant siloxane; shampoo cosmetic alkyl glycoside uronate siloxane; bath cosmetic alkyl glycoside uronate siloxane; keratin cosmetic alkyl glycoside uronate siloxane  
 IT Peptides, biological studies  
 RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses)  
 (alkyl; cosmetic compn. including alkyl glycoside uronate anionic surfactant and organopolysiloxane and use in treating keratin-contg. material)  
 IT Sulfonic acids, biological studies  
 RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses)  
 (alkylether derivs.; cosmetic compn. including alkyl glycoside uronate anionic surfactant and organopolysiloxane and use in treating keratin-contg. material)  
 IT Betaines  
 RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses)  
 (alkylimidazolium; cosmetic compn. including alkyl glycoside uronate anionic surfactant and organopolysiloxane and use in treating keratin-contg. material)  
 IT Hair preparations  
 (cosmetic compn. including alkyl glycoside uronate anionic surfactant and organopolysiloxane and use in treating keratin-contg. material)  
 IT Alcohols, biological studies  
 Amines, biological studies  
 Betaines  
 Polysaccharides, biological studies  
 Quaternary ammonium compounds, biological studies  
 RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses)  
 (cosmetic compn. including alkyl glycoside uronate anionic surfactant and organopolysiloxane and use in treating keratin-contg. material)  
 IT Bath preparations  
 Cosmetics  
 Shampoos  
 (cosmetic compn. with alkyl glycoside uronate anionic surfactant and organopolysiloxane and use in treating keratin-contg. material)  
 IT Keratins  
 RL: BSU (Biological study, unclassified); BIOL (Biological study)  
 (cosmetic compn. with alkyl glycoside uronate anionic surfactant and organopolysiloxane and use in treating keratin-contg. material)  
 IT Cyclosiloxanes  
 RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses)  
 (cosmetic compn. with alkyl glycoside uronate anionic surfactant and organopolysiloxane and use in treating keratin-contg. material)

- IT Siloxanes and Silicones, biological studies  
 RL: BUU (Biological use, unclassified); BIOL (Biological study); USES  
 (Uses)  
 (cosmetic compn. with alkyl glycoside uronate anionic surfactant and organopolysiloxane and use in treating keratin-contg. material)
- IT Carbohydrates and Sugars, biological studies  
 RL: BUU (Biological use, unclassified); BIOL (Biological study); USES  
 (Uses)  
 (fatty acid esters; cosmetic compn. including alkyl glycoside uronate anionic surfactant and organopolysiloxane and use in treating keratin-contg. material)
- IT Amides, biological studies  
 RL: BUU (Biological use, unclassified); BIOL (Biological study); USES  
 (Uses)  
 (sulfated, salts; cosmetic compn. including alkyl glycoside uronate anionic surfactant and organopolysiloxane and use in treating keratin-contg. material)
- IT Glycols, biological studies  
 RL: BUU (Biological use, unclassified); BIOL (Biological study); USES  
 (Uses)  
 (.alpha.-; cosmetic compn. including alkyl glycoside uronate anionic surfactant and organopolysiloxane and use in treating keratin-contg. material)
- IT **Amides**, biological studies  
 RL: BUU (Biological use, unclassified); BIOL (Biological study); USES  
 (Uses)  
 (N-(hydroxyalkyl), **fatty** acid; cosmetic compn. including alkyl glycoside uronate anionic surfactant and organopolysiloxane and use in treating keratin-contg. material)
- IT Amines, biological studies  
 RL: BUU (Biological use, unclassified); BIOL (Biological study); USES  
 (Uses)  
 (N-oxides, cosmetic compn. including alkyl glycoside uronate anionic surfactant and organopolysiloxane and use in treating keratin-contg. material)
- IT Cosmetics  
 (aerosols, foams, cosmetic compn. including alkyl glycoside uronate anionic surfactant and organopolysiloxane and use in treating keratin-contg. material)
- IT Sulfonates  
 RL: BUU (Biological use, unclassified); BIOL (Biological study); USES  
 (Uses)  
 (alkane, cosmetic compn. including alkyl glycoside uronate anionic surfactant and organopolysiloxane and use in treating keratin-contg. material)
- IT Siloxanes and Silicones, biological studies  
 RL: BUU (Biological use, unclassified); BIOL (Biological study); USES  
 (Uses)  
 (alkyl, cosmetic compn. with alkyl glycoside uronate anionic surfactant and organopolysiloxane and use in treating keratin-contg. material)
- IT Glycosides  
 RL: BUU (Biological use, unclassified); BIOL (Biological study); USES  
 (Uses)  
 (alkyl, uronates; cosmetic compn. with alkyl glycoside uronate anionic surfactant and organopolysiloxane and use in treating keratin-contg. material)
- IT Siloxanes and Silicones, biological studies  
 RL: BUU (Biological use, unclassified); BIOL (Biological study); USES  
 (Uses)  
 (alkyl aryl, cosmetic compn. with alkyl glycoside uronate anionic

- surfactant and organopolysiloxane and use in treating keratin-contg. material)
- IT Betaines  
RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses)  
(amidoalkyl, cosmetic compn. including alkyl glycoside uronate anionic surfactant and organopolysiloxane and use in treating keratin-contg. material)
- IT Surfactants  
(amphoteric, cosmetic compn. including alkyl glycoside uronate anionic surfactant and organopolysiloxane and use in treating keratin-contg. material)
- IT Surfactants  
(anionic, cosmetic compn. with alkyl glycoside uronate anionic surfactant and organopolysiloxane and use in treating keratin-contg. material)
- IT Siloxanes and Silicones, biological studies  
RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses)  
(aryl, cosmetic compn. with alkyl glycoside uronate anionic surfactant and organopolysiloxane and use in treating keratin-contg. material)
- IT Surfactants  
(cationic, cosmetic compn. including alkyl glycoside uronate anionic surfactant and organopolysiloxane and use in treating keratin-contg. material)
- IT Cyclosiloxanes  
RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses)  
(di-Me, cosmetic compn. including alkyl glycoside uronate anionic surfactant and organopolysiloxane and use in treating keratin-contg. material)
- IT Bath preparations  
(douches, gel; cosmetic compn. with alkyl glycoside uronate anionic surfactant and organopolysiloxane and use in treating keratin-contg. material)
- IT Cosmetics  
(emulsions, cosmetic compn. including alkyl glycoside uronate anionic surfactant and organopolysiloxane and use in treating keratin-contg. material)
- IT Fatty acids, biological studies  
RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses)  
(**ethoxylated**, cosmetic compn. including alkyl glycoside uronate anionic surfactant and organopolysiloxane and use in treating keratin-contg. material)
- IT **Amides**, biological studies  
RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses)  
(**fatty, ethoxylated**; cosmetic compn. including alkyl glycoside uronate anionic surfactant and organopolysiloxane and use in treating keratin-contg. material)
- IT **Alcohols**, biological studies  
RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses)  
(**fatty**, ethylene oxide/propylene oxide condensates; cosmetic compn. including alkyl glycoside uronate anionic surfactant and organopolysiloxane and use in treating keratin-contg. material)
- IT Amines, biological studies  
RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses)

- (fatty, **ethoxylated**, cosmetic compn. including alkyl glycoside uronate anionic surfactant and organopolysiloxane and use in treating keratin-contg. material)
- IT Cosmetics  
(gels, cosmetic compn. including alkyl glycoside uronate anionic surfactant and organopolysiloxane and use in treating keratin-contg. material)
- IT Bath preparations  
(gels, cosmetic compn. with alkyl glycoside uronate anionic surfactant and organopolysiloxane and use in treating keratin-contg. material)
- IT Cosmetics  
(lotions, cosmetic compn. including alkyl glycoside uronate anionic surfactant and organopolysiloxane and use in treating keratin-contg. material)
- IT Glycerides, biological studies  
RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses)  
(mono-, sulfated, salts; cosmetic compn. including alkyl glycoside uronate anionic surfactant and organopolysiloxane and use in treating keratin-contg. material)
- IT Surfactants  
(nonionic, cosmetic compn. including alkyl glycoside uronate anionic surfactant and organopolysiloxane and use in treating keratin-contg. material)
- IT Urethane polymers, biological studies  
RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses)  
(polyether-, cosmetic compn. including alkyl glycoside uronate anionic surfactant and organopolysiloxane and use in treating keratin-contg. material)
- IT Fatty acids, biological studies  
RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses)  
(**propoxylated**, cosmetic compn. including alkyl glycoside uronate anionic surfactant and organopolysiloxane and use in treating keratin-contg. material)
- IT Fatty acids, biological studies  
RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses)  
(salts, cosmetic compn. including alkyl glycoside uronate anionic surfactant and organopolysiloxane and use in treating keratin-contg. material)
- IT Betaines  
RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses)  
(sulfo-, amidoalkyl; cosmetic compn. including alkyl glycoside uronate anionic surfactant and organopolysiloxane and use in treating keratin-contg. material)
- IT Betaines  
RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses)  
(sulfo-, cosmetic compn. including alkyl glycoside uronate anionic surfactant and organopolysiloxane and use in treating keratin-contg. material)
- IT 56-86-0D, Glutamic acid, acyl derivs., salts 79-10-7D, 2-Propenoic acid, polymers 107-35-7D, Taurine, N-acyl derivs., salts 107-36-8D, Isethionate, salts 107-97-1D, Sarcosine, acyl derivs., salts 108-95-2D, Phenol, alkyl derivs. 123-43-3D, Sulfoacetic acid, alkyl derivs., salts 5138-18-1D, Sulfosuccinic acid, alkylamide derivs., salts 7664-38-2D, Phosphoric acid, alkylether derivs., salts 7664-93-9D,

Sulfuric acid, alkyl ether and other derivs., salts 9003-11-6, Ethylene oxide-propylene oxide copolymer 9004-34-6D, Cellulose, derivs. 9004-82-4, Empicol ESB 3FL 25153-40-6D, Methyl vinyl ether-maleic acid copolymer, crosslinked 25322-68-3D, fatty acid esters 26100-47-0D, Acrylamide-ammonium acrylate copolymer, crosslinked **35429-19-7D**, Acrylamide-methacryloyloxyethyltrimethylammonium chloride copolymer, crosslinked 40623-73-2D, Acrylamide-2-acrylamido-2-methylpropanesulfonic acid copolymer, crosslinked 58450-17-2D, Sulfosuccinamic acid, alkyl derivs., salts 131015-90-2, Elfacos GT 282S 159190-70-2D, N-cocoamidoethyl deriv.

RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses)

(cosmetic compn. including alkyl glycoside uronate anionic surfactant and organopolysiloxane and use in treating keratin-contg. material)

IT 9005-12-3, Poly[oxy(methylphenylsilylene)] 9016-00-6, Dimethyl siloxane 9016-00-6D, Dimethyl siloxane, cyclo copolymers with methylalkyl siloxanes 31230-04-3, Methylphenylsilanediol homopolymer 31900-57-9, Dimethylsilanediol homopolymer 31900-57-9D, Dimethylsilanediol homopolymer, cyclo copolymers with methylalkyl siloxanes 150738-55-9 150738-56-0 150738-57-1 150738-58-2 155665-02-4, Dimethylsilanediol-methylvinylsilanediol copolymer 156048-34-9, Dimethylsilanediol-diphenylsilanediol copolymer 156048-35-0 156787-84-7

RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses)

(cosmetic compn. with alkyl glycoside uronate anionic surfactant and organopolysiloxane and use in treating keratin-contg. material)

IT **35429-19-7D**, Acrylamide-methacryloyloxyethyltrimethylammonium chloride copolymer, crosslinked

RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses)

(cosmetic compn. including alkyl glycoside uronate anionic surfactant and organopolysiloxane and use in treating keratin-contg. material)


RN 35429-19-7 HCAPLUS

CN Ethanaminium, N,N,N-trimethyl-2-[(2-methyl-1-oxo-2-propenyl)oxy]-, chloride, polymer with 2-propenamide (9CI) (CA INDEX NAME)

CM 1

CRN 5039-78-1

CMF C9 H18 N O2 . Cl




● Cl<sup>-</sup>

CM 2

CRN 79-06-1

CMF C3 H5 N O





L78 ANSWER 21 OF 27 HCAPLUS COPYRIGHT 2002 ACS  
 AN 1994:541209 HCAPLUS  
 DN 121:141209  
 TI Method and **composition** for permanent waving of the hair  
 IN Mager, Herbert; Clausen, Thomas; Hoch, Dietrich  
 PA Wella AG, Germany  
 SO Ger. Offen., 7 pp.  
 CODEN: GWXXBX  
 DT Patent  
 LA German  
 IC ICM A61K007-09  
 ICS A45D007-04  
 ICA C08L033-14; C08L005-08; B01F017-42; B01F017-18; B01F017-54  
 CC 62-3 (Essential Oils and **Cosmetics**)  
 FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	DE 4240471	A1	19940609	DE 1992-4240471	19921202
	EP 604717	A2	19940706	EP 1993-116199	19931007
	EP 604717	A3	19941214		
	R: DE, ES, FR, GB, IT				
	JP 06192052	A2	19940712	JP 1993-277799	19931008
	BR 9304897	A	19940614	BR 1993-4897	19931130
PRAI	DE 1992-4240471		19921202		

AB A permanent wave is imparted to the hair by treating the hair with a keratin-reducing agent contg. <2.5 wt.% nonionic surfactant, rinsing, and treating with a fixative contg. an **oxidizing agent**, 0.01-6 wt.% cationic surfactant, and 0.01-6 wt.% cationic polymer. Thus, a reducing component (pH 8.4) contained 70% aq. ammonium **thioglycolate** soln. 12.0, NH<sub>4</sub>HCO<sub>3</sub> 2.0, 28% aq. NH<sub>3</sub> soln. 0.8, **ethoxylated** castor oil 0.2, perfume oil 0.1, and water 84.9 g, and an oxidizing component (pH 2.0) contained 35% aq. H<sub>2</sub>O<sub>2</sub> soln. 7.0, 20% aq. Gafquat 755N soln. 2.0, dimethicone copolyol 0.5, 85% aq. H<sub>3</sub>PO<sub>4</sub> soln. 0.2, cetyltrimethylammonium chloride 0.1, and water 90.2 g.

ST hair waving **compn** surfactant cationic polymer

IT Quaternary ammonium compounds, biological studies  
 RL: BIOL (Biological study)  
 (coco **fatty** amidopropyl dimethylacetamidyl, chlorides, hair wave-setting **compn.** with oxidizing component contg.)

IT Siloxanes and Silicones, biological studies  
 RL: BIOL (Biological study)  
 (surfactants, hair wave-setting **compn.** with oxidizing component contg.)

IT Quaternary ammonium compounds, biological studies  
 RL: BIOL (Biological study)  
 (bis(hydrogenated tallow alkyl)dimethyl, chlorides, hair wave-setting **compn.** with oxidizing component contg.)

IT Quaternary ammonium compounds, biological studies  
 RL: BIOL (Biological study)  
 (chlorides, hair wave-setting **compn.** with oxidizing component contg.)

IT Amines, biological studies  
 RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses)

- (coco alkyl, **ethoxylated**, hair wave-setting **compn.** with reducing component contg.)
- IT Polyoxyalkylenes, biological studies  
 RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses)  
 (di-Me, Me hydrogen siloxane-, acetate esters; hair wave-setting **compn.** with oxidizing component contg.)
- IT Polyoxyalkylenes, biological studies  
 RL: BIOL (Biological study)  
 (di-Me, Me hydrogen siloxane-, hair wave-setting **compn.** with oxidizing component contg.)
- IT Polyoxyalkylenes, biological studies  
 RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses)  
 (di-Me, Me hydrogen siloxane-, Bu ethers, hair wave-setting **compn.** with oxidizing component contg.)
- IT Polyoxyalkylenes, biological studies  
 RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses)  
 (di-Me, Me hydrogen siloxane-, Me ethers, hair wave-setting **compn.** with oxidizing component contg.)
- IT Siloxanes and Silicones, biological studies  
 RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses)  
 (di-Me, Me hydrogen, polyoxyalkylene-, acetate esters; hair wave-setting **compn.** with oxidizing component contg.)
- IT Siloxanes and Silicones, biological studies  
 RL: BIOL (Biological study)  
 (di-Me, Me hydrogen, polyoxyalkylene-, hair wave-setting **compn.** with oxidizing component contg.)
- IT Siloxanes and Silicones, biological studies  
 RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses)  
 (di-Me, Me hydrogen, polyoxyalkylene-, Bu ethers, hair wave-setting **compn.** with oxidizing component contg.)
- IT Siloxanes and Silicones, biological studies  
 RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses)  
 (di-Me, Me hydrogen, polyoxyalkylene-, Me ethers, hair wave-setting **compn.** with oxidizing component contg.)
- IT Lanolin  
 RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses)  
 (**ethoxylated**, hair wave-setting **compn.** with reducing component contg.)
- IT **Alcohols**, biological studies  
 RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses)  
 (**fatty, ethoxylated**, hair wave-setting **compn.** with reducing component contg.)
- IT Castor oil  
 Lanolin  
 RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses)  
 (hydrogenated, **ethoxylated**, hair wave-setting **compn.** with reducing component contg.)
- IT Surfactants  
 (nonionic, hair wave-setting **compn.** with reducing component contg.)
- IT Hair preparations

(wave-setting, oxidizing **compn.** contg. cationic polymer and cationic surfactant for)

IT 104-74-5, Laurylpyridinium chloride 112-00-5, Lauryltrimethylammonium chloride 112-02-7, Cetyltrimethylammonium chloride 112-03-8, Stearyltrimethylammonium chloride 122-18-9, Cetyldimethylbenzylammonium chloride 123-03-5, Cetylpyridinium chloride 4574-04-3, Tetradecyltrimethylammonium chloride 9012-76-4D, Chitosan, cationic derivs. 25154-86-3D, Poly(dimethylaminoethyl methacrylate), methyl-quaternized 25234-60-0, Choline laurate chloride 26006-22-4, Polyquaternium 5 26062-79-3, Polyquaternium 6 26590-05-6, Polyquaternium 7 27103-90-8, Polyquaternium 14 32426-11-2, Decyldimethyloctylammonium chloride 52132-48-6 53633-54-8, Polyquaternium 11 53694-17-0, Polyquaternium 22 55008-57-6, Gafquat 755N 81859-24-7, Polyquaternium 10 85563-48-0 92183-41-0, Polyquaternium 4 95144-24-4, Polyquaternium 16 130291-58-6, Polyquaternium 9

RL: BIOL (Biological study)

(hair wave-setting **compn.** with oxidizing component contg.)

IT 26027-38-3, Nonoxynol

RL: BIOL (Biological study)

(hair wave-setting **compn.** with reducing component contg.)

IT 26006-22-4, Polyquaternium 5 27103-90-8, Polyquaternium 14

RL: BIOL (Biological study)


(hair wave-setting **compn.** with oxidizing component contg.)

RN 26006-22-4 HCAPLUS

CN Ethanaminium, N,N,N-trimethyl-2-[(2-methyl-1-oxo-2-propenyl)oxy]-, methyl sulfate, polymer with 2-propenamide (9CI) (CA INDEX NAME)

CM 1

CRN 79-06-1  
CMF C3 H5 N O




CM 2

CRN 6891-44-7  
CMF C9 H18 N O2 . C H3 O4 S

CM 3

CRN 33611-56-2  
CMF C9 H18 N O2



CM 4


CRN 21228-90-0  
CMF C H3 O4 S

Me-O-SO<sub>3</sub><sup>-</sup>

RN 27103-90-8 HCAPLUS  
CN Ethanaminium, N,N,N-trimethyl-2-[(2-methyl-1-oxo-2-propenyl)oxy]-, methyl sulfate, homopolymer (9CI) (CA INDEX NAME)

CM 1

CRN 33611-56-2  
CMF C9 H18 N O2



CM 2

CRN 21228-90-0  
CMF C H3 O4 S

Me-O-SO<sub>3</sub><sup>-</sup>

L78 ANSWER 22 OF 27 HCAPLUS COPYRIGHT 2002 ACS

AN 1994:307083 HCAPLUS

DN 120:307083

TI Melanotic hydrosoluble polymer colorant of indole compounds, its preparation, and coloring cosmetic **compositions** containing it

IN Mondet, Jean; Langla, Bernard; Andrean, Herve; Lagrange, Alain

PA Oreal S. A., Fr.

SO Fr. Demande, 32 pp.

CODEN: FRXXBL

DT Patent

LA French

IC ICM A61K007-021

ICS A61K007-13; A61K007-48; C09B067-10; C08K005-3417; C08L003-00;  
C08L005-00; C08L077-00; C08L033-00

CC 62-3 (Essential Oils and **Cosmetics**)

Section cross-reference(s): 35

FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	FR 2695033	A1	19940304	FR 1992-10264	19920825
	FR 2695033	B1	19941125		

OS MARPAT 120:307083

AB The title polymer colorant is obtained by oxidizing an indole or indolinic compd. in an aq. milieu in the presence of a hydrosol. anionic, cationic, amphoteric, or nonionic polymer and sepn. of the resulting colorant polymer by filtration and pptn. or by filtration and lyophilization. The polymer is useful in cosmetic makeup or in coloring hair or skin. Sol.

- poly-.beta.-alanine was prepd. and used with H2O2 in the prepn. of a black hydrosol. polymer of 5,6-dihydroxyindole. A mascara gel and a hair coloring lotion were prepd. which contained the polymer colorant.
- ST polymer colorant indole cosmetic; hair color polymer colorant indole; skin color polymer colorant indole
- IT Protein hydrolyzates  
RL: PREP (Preparation)  
(Monteine CA, in prepn. of melanotic hydrosol. polymer colorants from dihydroxyindole, for hair coloring or cosmetics)
- IT Keratins  
RL: PREP (Preparation)  
(Monteine WKHP, in prepn. of melanotic hydrosol. polymer colorants from dihydroxyindole, for hair coloring or cosmetics)
- IT **Oxidizing agents**  
(in prepn. of melanotic hydrosol. polymer colorants from indole or indolinic compds., for hair coloring or cosmetics)
- IT Polymers, biological studies  
RL: BIOL (Biological study)  
(melanotic hydrosol. colorants, from indole or indolinic compds., for hair coloring or cosmetics)
- IT Coloring materials  
(melanotic hydrosol. polymers, from indole or indolinic compds., for hair coloring or cosmetics)
- IT Alkali metal iodides  
Protein hydrolyzates  
RL: PREP (Preparation)  
(compds., in prepn. of melanotic hydrosol. polymer colorants from indole or indolinic, for hair coloring or cosmetics)
- IT Dyes  
(cosmetic, melanotic hydrosol. polymer colorants from indole or indolinic compds. in)
- IT Hair preparations  
(dyes, melanotic hydrosol. polymer colorants from indole or indolinic compds. in)
- IT Keratins  
RL: PREP (Preparation)  
(hydrolyzates, in prepn. of melanotic hydrosol. polymer colorants from indole or indolinic compds., for hair coloring or cosmetics)
- IT Alkaline earth halides  
RL: PREP (Preparation)  
(iodides, in prepn. of melanotic hydrosol. polymer colorants from indole or indolinic compds., for hair coloring or cosmetics)
- IT Cosmetics  
(makeups, melanotic hydrosol. polymer colorants from indole or indolinic compds. in)
- IT Cosmetics  
(mascaras, gels, melanotic hydrosol. polymer colorants in)
- IT 7758-98-7, Copper sulfate, uses 8061-51-6, Sodium lignosulfonate 9004-62-0, Cellosize WPO.9H 9004-64-2, Klucel J  
RL: BIOL (Biological study)  
(in prepn. of melanotic hydrosol. polymer colorants from dihydroxyindole, for hair coloring or cosmetics)
- IT 7553-56-2D, Iodine, compds. 7664-41-7, Ammonia, uses 7722-84-1, Hydrogen peroxide, uses 9003-01-4, Polyacrylic acid 9003-05-8, Polyacrylamide 9003-39-8, Polyvinylpyrrolidone 9004-32-4, Sodium carboxymethylcellulose 9004-54-0, Dextran, uses 9005-25-8, Starch, uses 12027-06-4, Ammonium iodide 24937-14-2, Poly-.beta.-alanine 25513-34-2, Poly-.beta.-alanine 26062-79-3, Polydiallyl dimethylammonium chloride 86348-08-5 **147398-77-4**  
RL: BIOL (Biological study)

(in prepn. of melanotic hydrosol. polymer colorants from indole or indolinic compds., for hair coloring or cosmetics)

IT 120-72-9D, Indole, compds. 496-15-1D, Indoline, compds. 3131-52-0, 5,6-Dihydroxyindole 4813-45-0, 3-Methyl5,6-dihydroxyindole 138937-28-7, 5,6-Dihydroxyindoline hydrobromide

RL: BIOL (Biological study)  
(melanotic hydrosol. polymer colorants prepn. from, for hair coloring or cosmetics)


IT 147398-77-4  
RL: BIOL (Biological study)  
(in prepn. of melanotic hydrosol. polymer colorants from indole or indolinic compds., for hair coloring or cosmetics)

RN 147398-77-4 HCAPLUS

CN Ethanaminium, N-(carboxymethyl)-N,N-dimethyl-2-[(2-methyl-1-oxo-2-propenyl)oxy]-, inner salt, polymer with methyl 2-methyl-2-propenoate (9CI) (CA INDEX NAME)


CM 1

CRN 62723-61-9  
CMF C10 H17 N O4



CM 2

CRN 80-62-6  
CMF C5 H8 O2



L78 ANSWER 23 OF 27 HCAPLUS COPYRIGHT 2002 ACS

AN 1993:131746 HCAPLUS

DN 118:131746

TI Shampoos containing cationic and anionic surfactants to impart improved hair conditioning properties

IN Duffy, Michele; Bergmann, Wolfgang

PA Curtis, Helene, Inc., USA

SO Eur. Pat. Appl., 42 pp.  
CODEN: EPXXDW

DT Patent

LA English

IC ICM A61K007-06

CC 62-3 (Essential Oils and Cosmetics)

FAN,CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	EP 511652	A1	19921104	EP 1992-107311	19920429

EP 511652 B1 19951129  
 R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE  
 CA 2066885 AA 19921030 CA 1992-2066885 19920423  
 IL 101682 A1 19961205 IL 1992-101682 19920423  
 NO 9201640 A 19921030 NO 1992-1640 19920428  
 AU 9215224 A1 19921105 AU 1992-15224 19920428  
 AU 653216 B2 19940922  
 ZA 9203084 A 19930127 ZA 1992-3084 19920428  
 AT 130751 E 19951215 AT 1992-107311 19920429  
 ES 2080369 T3 19960201 ES 1992-107311 19920429  
 JP 06107525 A2 19940419 JP 1992-155568 19920430  
 PRAI US 1991-692709 19910429  
 OS MARPAT 118:131746  
 AB A conditioning shampoo comprises (1) an anionic cleansing surfactant 1-15, (2) a polymeric cationic conditioning compd. 0.1-2, (3) a cationic conditioning surfactant 0.2-10, (4) a fatty acid ester 0.1-3, and (5) water as carrier. A hair conditioner contained guar hydroxypropyltrimonium 1.50, ricinoleamidopropyl trimonium chloride (Surfactrol Q1) 1.65, linoleamidopropyl PG-dimonium chloride phosphate (Phospholipid EFA) 0.60, ammonium lauryl sulfate 6.14, ammonium lauryl ether sulfate 6.14, cetearyl octanoate (Purcellin oil) 2.00, and water q.s. 100%.  
 ST conditioning shampoo cationic anionic surfactant  
 IT Quaternary ammonium compounds, biological studies  
 RL: BIOL (Biological study)  
 (hair conditioning shampoo contg. anionic surfactants and fatty acid esters and)  
 IT Betaines  
 RL: BIOL (Biological study)  
 (hair conditioning shampoo contg. cationic and anionic surfactants and fatty acid esters and)  
 IT Alcohols, esters  
 RL: BIOL (Biological study)  
 (C16-18, esters, hair conditioning shampoo contg. anionic and cationic surfactants and)  
 IT Betaines  
 RL: BIOL (Biological study)  
 (coco alkyl, hair conditioning shampoo contg. cationic and anionic surfactants and fatty acid esters and)  
 IT Betaines  
 RL: BIOL (Biological study)  
 (coco amidopropyl, hair conditioning shampoo contg. cationic and anionic surfactants and fatty acid esters and)  
 IT Fatty acids, esters  
 RL: BIOL (Biological study)  
 (coco, Me esters, hair conditioning shampoo contg. anionic and cationic surfactants and)  
 IT Amides, biological studies  
 RL: BIOL (Biological study)  
 (coco, N,N-bis(hydroxyethyl), hair conditioning shampoo contg. cationic and anionic surfactants and fatty acid esters and)  
 IT Amides, biological studies  
 RL: BIOL (Biological study)  
 (coco, N-(hydroxyethyl), hair conditioning shampoo contg. cationic and anionic surfactants and fatty acid esters and)  
 IT Shampoos  
 (conditioning, anionic and cationic surfactants and fatty acid esters in)  
 IT Carbohydrates and Sugars, esters  
 RL: BIOL (Biological study)


- (esters, hair conditioning shampoo contg. cationic and anionic surfactants and fatty acid esters and)
- IT **Alcohols**, compounds  
RL: BIOL (Biological study)  
(**fatty, ethoxylated**, hair conditioning shampoo contg. cationic and anionic surfactants and)
- IT **Alcohols**, compounds  
RL: BIOL (Biological study)  
(**fatty, propoxylated**, hair conditioning shampoo contg. cationic and anionic surfactants and)
- IT **Amides**, biological studies  
RL: BIOL (Biological study)  
(**fatty, N,N-bis(hydroxyalkyl)**, hair conditioning shampoo contg. cationic and anionic surfactants and fatty acid esters and)
- IT **Amides**, biological studies  
RL: BIOL (Biological study)  
(**fatty, N-(hydroxyalkyl)**, hair conditioning shampoo contg. cationic and anionic surfactants and fatty acid esters and)
- IT **Amides**, compounds  
RL: BIOL (Biological study)  
(long-chain, **ethoxylated**, hair conditioning shampoo contg. cationic and anionic surfactants and fatty acid esters and)
- IT **Alcohols**, esters  
RL: BIOL (Biological study)  
(polyhydric, esters, hair conditioning shampoo contg. cationic and anionic surfactants and fatty acid esters and)
- IT **Fatty acids**, esters  
RL: BIOL (Biological study)  
(soya, Me esters, hair conditioning shampoo contg. anionic and cationic surfactants and)
- IT **Amides**, biological studies  
RL: BIOL (Biological study)  
(soya, N,N-bis(hydroxyethyl), hair conditioning shampoo contg. cationic and anionic surfactants and fatty acid esters and)
- IT **Betaines**, sulfo-, amido  
RL: BIOL (Biological study)  
(sulfo-, amido, hair conditioning shampoo contg. cationic and anionic surfactants and fatty acid esters and)
- IT **Fatty acids**, esters  
RL: BIOL (Biological study)  
(tallow, Me esters, hair conditioning shampoo contg. anionic and cationic surfactants and)
- IT **Fatty acids**, esters  
RL: BIOL (Biological study)  
(tallow, iso-Pr esters, hair conditioning shampoo contg. anionic and cationic surfactants and)
- IT **Amides**, biological studies  
RL: BIOL (Biological study)  
(tallow, N,N-bis(hydroxyethyl), hair conditioning shampoo contg. cationic and anionic surfactants and fatty acid esters and)
- IT **Amides**, biological studies  
RL: BIOL (Biological study)  
(tallow, N-(hydroxyethyl), hair conditioning shampoo contg. cationic and anionic surfactants and fatty acid esters and)
- IT **Amines**, oxides  
RL: BIOL (Biological study)  
(N-oxides, hair conditioning shampoo contg. cationic and anionic surfactants and fatty acid esters and)
- IT 106-70-7, Methyl caproate 110-27-0, Isopropyl myristate 110-34-9  
110-36-1, Butyl myristate 111-59-1, Propyl oleate 111-61-5, Ethyl



stearate 111-62-6, Ethyl oleate 111-82-0, Methyl laurate 112-10-7,  
 Isopropyl stearate 112-11-8, Isopropyl oleate 112-53-8D, 1-Dodecanol,  
 esters 112-61-8, Methyl stearate 112-62-9, Methyl oleate 112-63-0,  
 Methyl linoleate 112-72-1D, Myristyl alcohol, esters 112-92-5D,  
 Stearyl alcohol, esters 123-95-5, Butyl stearate 124-06-1, Ethyl  
 myristate 124-07-2D, Octanoic acid, C16-18-alkyl esters 124-10-7,  
 Methyl myristate 141-24-2, Methyl ricinoleate 142-77-8, Butyl oleate  
 142-91-6 143-28-2D, Oleyl alcohol, esters 547-64-8, Methyl lactate  
 628-97-7, Ethyl palmitate 646-13-9, Isobutyl stearate 661-19-8D,  
 Behenyl alcohol, esters 929-77-1, Methyl behenate 10233-13-3,  
 Isopropyl laurate 16456-36-3, Myristyl octanoate 18312-31-7, Stearyl  
 octanoate 19149-86-1 20292-09-5, Lauryl octanoate 22882-95-7,  
 Isopropyl linoleate 25263-97-2 26718-95-6, Isopropyl behenate  
 27458-93-1D, Isostearyl alcohol, esters 29710-31-4, Cetyl octanoate  
 34364-24-4 36653-82-4D, Cetyl alcohol, esters 66009-41-4 68171-33-5,  
 Isopropyl isostearate 71685-99-9, Isopropyl ricinoleate 108347-90-6  
 RL: BIOL (Biological study)  
 (hair conditioning shampoo contg. anionic and cationic surfactants and)  
 IT 26006-22-4, Polyquaternium 5 26062-79-3, Polyquaternium 6  
 26590-05-6, Polyquaternium 7 27103-90-8, Polyquaternium 14  
 35429-19-7, Polyquaternium 15 53633-54-8, Polyquaternium 11  
 63451-27-4, Polyquaternium 2 65497-29-2 68877-47-4, Polyquaternium 13  
 75345-27-6, Polyquaternium 1 81859-24-7, Polyquaternium 10 92183-41-0  
 127311-98-2, Ricinoleamidopropyl trimonium chloride 130291-58-6,  
 Polyquaternium 9 145808-63-5 146189-14-2, Polyquaternium 8  
 RL: BIOL (Biological study)  
 (hair conditioning shampoo contg. anionic surfactants and fatty acid  
 esters and)  
 IT 56-40-6D, Glycine, N,N-(2-hydroxyethyl) tallow derivs. 93-82-3,  
 Stearamide DEA 93-83-4, Oleylamide DEA 111-05-7, Oleamide MIPA  
 111-57-9, Stearamide MEA 120-40-1, Lauramide DEA 142-54-1, Lauramide  
 MIPA 4292-10-8 7013-35-6D, derivs. 7545-23-5, Myristamide DEA  
 25054-76-6D, coco fatty acid derivs. 25322-68-3 52794-79-3,  
 Isostearamide DEA 54536-43-5, Isostearamide MEA  
 RL: BIOL (Biological study)  
 (hair conditioning shampoo contg. cationic and anionic surfactants and  
 fatty acid esters and)  
 IT 151-21-3, Sodium lauryl sulfate, biological studies 2235-54-3, Ammonium  
 lauryl sulfate 9004-82-4 19277-88-4, Stearamidopropyl trimonium methyl  
 sulfate 32612-48-9 51812-80-7, Quaternium 22 64156-20-3, Quaternium  
 26 67633-63-0, Isostearamidopropyl ethyldimonium ethosulfate  
 112324-16-0, Ricioleamidopropyl ethyldimonium ethosulfate 127312-01-0  
 145706-87-2  
 RL: BIOL (Biological study)  
 (hair conditioning shampoo contg. cationic surfactants and fatty acid  
 esters and)  
 IT 68877-50-9, Polyquaternium 12  
 RL: BIOL (Biological study)  
 (rhair conditioning shampoo contg. anionic surfactants and fatty acid  
 esters and)  
 IT 26006-22-4, Polyquaternium 5 27103-90-8, Polyquaternium  
 14 35429-19-7, Polyquaternium 15  
 RL: BIOL (Biological study)  
 (hair conditioning shampoo contg. anionic surfactants and fatty acid  
 esters and)  
 RN 26006-22-4 HCAPLUS  
 CN Ethanaminium, N,N,N-trimethyl-2-[(2-methyl-1-oxo-2-propenyl)oxy]-, methyl  
 sulfate, polymer with 2-propenamide (9CI) (CA INDEX NAME)

CM 1

CRN 79-06-1  
CMF C3 H5 N O




CM 2

CRN 6891-44-7  
CMF C9 H18 N O2 . C H3 O4 S


CM 3

CRN 33611-56-2  
CMF C9 H18 N O2



CM 4


CRN 21228-90-0  
CMF C H3 O4 S



RN 27103-90-8 HCAPLUS  
CN Ethanaminium, N,N,N-trimethyl-2-[(2-methyl-1-oxo-2-propenyl)oxy]-, methyl sulfate, homopolymer (9CI) (CA INDEX NAME)

CM 1

CRN 33611-56-2  
CMF C9 H18 N O2



CM 2


CRN 21228-90-0  
CMF C H3 O4 S

Me-O-SO<sub>3</sub><sup>-</sup>

RN 35429-19-7 HCAPLUS  
 CN Ethanaminium, N,N,N-trimethyl-2-[(2-methyl-1-oxo-2-propenyl)oxy]-, chloride, polymer with 2-propenamide (9CI) (CA INDEX NAME)

CM 1


CRN 5039-78-1  
 CMF C9 H18 N O2 . Cl



● Cl<sup>-</sup>

CM 2

CRN 79-06-1  
 CMF C3 H5 N O



L78 ANSWER 24 OF 27 HCAPLUS COPYRIGHT 2002 ACS  
 AN 1993:109387 HCAPLUS  
 DN 118:109387  
 TI Pearlescent shampoo compositions containing dimethyl silicones, sulfates, aminoalkylcarboxylates, and nitrogen-containing polymers  
 IN Kawai, Yasuhiro  
 PA Sunstar, Inc., Japan  
 SO Jpn. Kokai Tokkyo Koho, 10 pp.  
 CODEN: JKXXAF  
 DT Patent  
 LA Japanese  
 IC ICM A61K007-075  
 CC 62-3 (Essential Oils and Cosmetics)  
 FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	JP 04243810	A2	19920831	JP 1991-25428	19910125
	JP 2510790	B2	19960626		

OS MARPAT 118:109387

AB Pearlescent shampoo compns. with 500-4000 cPp viscosity at 25.degree. contain emulsions of (1) R1Me2SiO[SiMe2O]kSiMe2R2 (R1, R2 = Me, H; k = 4000-9000) 0.01-5 (as di-Me silicones), R3O[CH2CH2O]lSO3M1 and/or R4CONH[CH2CH2O]mSO3M2 (R3, R4 = C7-17 alkyl or alkenyl; M1, M2 = cation

from alkali metal, alk. earth metal, NH<sub>4</sub>, or alkanolamine; 1, m = 0-10) 1-15, (2) R<sub>5</sub>[CONH(CH<sub>2</sub>)<sub>3</sub>]<sub>n</sub>N+Me<sub>2</sub>CH<sub>2</sub>CO<sub>2</sub>-, R<sub>6</sub>CONHCH<sub>2</sub>CH<sub>2</sub>NR<sub>7</sub>CH<sub>2</sub>CH<sub>2</sub>OH, and/or R<sub>8</sub> CON(CH<sub>2</sub>CH<sub>2</sub>OH)(CH<sub>2</sub>CH<sub>2</sub>NR<sub>9</sub>R<sub>10</sub>) (R<sub>5</sub> = C<sub>7</sub>-17 alkyl or alkenyl; R<sub>6</sub>, R<sub>8</sub> = C<sub>7</sub>-17 alkyl; R<sub>7</sub>, R<sub>9</sub> = CH<sub>2</sub>CO<sub>2</sub>M<sub>3</sub>, CH<sub>2</sub>CH<sub>2</sub>CO<sub>2</sub>M<sub>3</sub>; R<sub>10</sub> = H, CH<sub>2</sub>CO<sub>2</sub>M<sub>3</sub>, CH<sub>2</sub>CH<sub>2</sub>CO<sub>2</sub>M<sub>3</sub>; M<sub>3</sub> = cation from alkali metal or alkanolamine; n = 0, 1) 1-10, and (3) N-contg. water-sol. polymers 0.1-1 wt.%. The compns. show good hair-conditioning effects. A shampoo comprised di-Me silicone emulsion (contg. 50% di-Me silicone, 6000 polymn. degree) 0.02, polyoxyethylene(3) lauryl ether Na sulfate 5, Na lauryldimethylaminoacetate (sic) 5, cationic cellulose 0.5, ethylene glycol distearate 1.5, coconut oil fatty acid diethanolamide 3, antiseptics, pigments, fragrances, and H<sub>2</sub>O to 100 parts.

ST shampoo silicone sulfate aminoalkylcarboxylate polymer

IT Shampoos

(contg. di-Me silicones and sulfates and aminoalkylcarboxylates and polymers, pearlescent)

IT Betaines

RL: BIOL (Biological study)

(coco amidopropyl, shampoos contg. di-Me silicones and sulfates and polymers and, pearlescent)

IT Siloxanes and Silicones, biological studies

RL: BIOL (Biological study)

(di-Me, shampoos contg. sulfates and aminoalkylcarboxylates and polymers and, pearlescent)

IT 9004-34-6, Cellulose, miscellaneous

RL: MSC (Miscellaneous)

(cationic, shampoos contg. di-Me silicones and sulfates and aminoalkylcarboxylates and, pearlescent)

IT 139-96-8, Lauryl sulfate triethanolamine salt 9004-82-4, Polyoxyethylene lauryl ether sulfate sodium salt

RL: BIOL (Biological study)

(shampoos contg. di-Me silicones and aminoalkylcarboxylates and polymers and, pearlescent)

IT 25322-68-3D, alkyl ethers, sulfosuccinates, sodium salts 26838-05-1 58450-52-5

RL: BIOL (Biological study)

(shampoos contg. di-Me silicones and sulfates and aminoalkylcarboxylates and polymers and)

IT 79-10-7D, Acrylic acid, esters, polymers with octylacrylamide and butylaminoethyl methacrylate 10124-68-2D, N-Octylacrylamide, polymers with butylaminoethyl methacrylate and acrylate esters 24171-27-5D, polymers with octylacrylamide and acrylate esters 26590-05-6, Acrylamide-diallyldimethylammonium chloride copolymer 79702-43-5

RL: BIOL (Biological study)

(shampoos contg. di-Me silicones and sulfates and aminoalkylcarboxylates and, pearlescent)

IT 94087-04-4 116826-52-9

RL: BIOL (Biological study)

(shampoos contg. di-Me silicones and sulfates and polymers and, pearlescent)

IT 79702-43-5

RL: BIOL (Biological study)


(shampoos contg. di-Me silicones and sulfates and aminoalkylcarboxylates and, pearlescent)

RN 79702-43-5 HCAPLUS

CN Ethanaminium, N-(carboxymethyl)-N,N-dimethyl-2-[(2-methyl-1-oxo-2-propenyl)oxy]-, inner salt, homopolymer (9CI) (CA INDEX NAME)

CM 1

CRN 62723-61-9  
CMF C10 H17 N O4



L78 ANSWER 25 OF 27 HCAPLUS COPYRIGHT 2002 ACS

AN 1990:597651 HCAPLUS

DN 113:197651

TI Foaming aerosols for hair wave-setting, free of halohydrocarbons

IN Goetz, Harry; Hartmann, Peter; Koehler, Joachim

PA Wella A.-G., Fed. Rep. Ger.

SO Ger. Offen., 9 pp.

CODEN: GWXXBX

DT Patent

LA German

IC ICM A61K007-09

ICS C09K003-30

ICA B01F017-02; B01F017-30; B01F017-42

CC 62-3 (Essential Oils and Cosmetics)

FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	DE 3819620	A1	19891214	DE 1988-3819620	19880609
	DE 3819620	C2	19920123		

AB The title aerosols comprise the usual keratin-reducing or -  
**oxidizing agents**, 2-10% butane, isobutane and/or  
propane, 0.1-5% anionic surfactant(s), 0.1-10% nonionic surfactant(s), and  
0.1-5% cationic polymer(s). A **compn.** comprised ammonium  
**thioglycolate** 12.6, (NH<sub>4</sub>)HCO<sub>3</sub> 5.0, Polysorbate-80 3.0, dipropylene  
**glycol** mono-Me ether 2.5, **ethoxylated** isooctylphenol  
2.0, polyoxyethylene-polyoxypropylene block copolymer 2.0, Lamepon-type  
anionic protein-**fatty** acid condensation product 1.0, (NH<sub>4</sub>)<sub>2</sub>CO<sub>3</sub>  
0.5, polyquaternium-10 0.5, polyquaternium-140.1, perfume 0.4, and water  
70.4 g.

ST aerosol spray foaming wavesetting **compn**

IT Betaines

RL: BIOL (Biological study)

((coco amidopropyl)dimethyl, hair wave-setting foams contg.)

IT Sulfonic acids, compounds

RL: BIOL (Biological study)

(alkane, alk. earth salts, hair wave-setting foams contg.)

IT Sulfonic acids, compounds

RL: BIOL (Biological study)

(alkane, alkali metal salts, hair wave-setting foams contg.)

IT Sulfonic acids, compounds

RL: BIOL (Biological study)

(alkane, ammonium salts, hair wave-setting foams contg.)

IT Phenols, biological studies

RL: BIOL (Biological study)

(ethoxy, hair wave-setting foams contg.)

IT Castor oil


Lanolin

RL: BIOL (Biological study)

- (**ethoxylated**, hair wave-setting foams contg.)
- IT **Alcohols**, compounds  
RL: BIOL (Biological study)  
(**fatty, ethoxylated**, hair wave-setting foams contg.)
- IT Alcohols, compounds  
RL: BIOL (Biological study)  
(lanolin, **ethoxylated**, hair wave-setting foams contg.)
- IT Proteins, specific or class  
RL: BIOL (Biological study)  
(reaction products, with **fatty** acids, anionic, hair wave-setting foams contg.)
- IT **Fatty** acids, compounds  
RL: BIOL (Biological study)  
(reaction products, with proteins, anionic, hair wave-setting foams contg.)
- IT Hair preparations  
(wave-setting, foaming aerosol sprays)
- IT 57-13-6, Urea, biological studies 5421-46-5, Ammonium **thioglycolate** 7664-93-9D, Sulfuric acid, alkyl esters, salts 7664-93-9D, Sulfuric acid, monoalkyl esters, metal salts 7722-84-1, Hydrogen peroxide (H2O2), biological studies 7789-38-0, Sodium bromate 9004-82-4, Sodium lauryl ether sulfate 9004-87-9, **Ethoxylated** isooctylphenol 9005-64-5, Polysorbate-20 9005-65-6, Polysorbate-80 9005-66-7, Polysorbate-40 9012-76-4D, Chitosan, cationic derivs. 9036-19-5, **Ethoxylated** octylphenol 25154-86-3, Polydimethylaminoethyl methacrylate **26006-22-4**, Polyquaternium 5 26027-38-3 26062-79-3, Polyquaternium-6 26590-05-6, Polyquaternium-7 **27103-90-8**, Polyquaternium 14 53633-54-8, Polyquaternium-11 81859-24-7, Polyquaternium-10 92183-41-0, Polyquaternium-4 106392-12-5 130291-58-6, Polyquaternium 9  
RL: BIOL (Biological study)  
(hair wave-setting foams contg.)
- IT **26006-22-4**, Polyquaternium 5 **27103-90-8**, Polyquaternium 14  
RL: BIOL (Biological study)  
(hair wave-setting foams contg.)
- RN 26006-22-4 HCAPLUS
- CN Ethanaminium, N,N,N-trimethyl-2-[(2-methyl-1-oxo-2-propenyl)oxy]-, methyl sulfate, polymer with 2-propenamide (9CI) (CA INDEX NAME)

CM 1

CRN 79-06-1  
CMF C3 H5 N O




CM 2

CRN 6891-44-7  
CMF C9 H18 N O2 . C H3 O4 S


CM 3

CRN 33611-56-2  
CMF C9 H18 N O2



CM 4


CRN 21228-90-0  
CMF C H3 O4 S



RN 27103-90-8 HCAPLUS  
CN Ethanaminium, N,N,N-trimethyl-2-[(2-methyl-1-oxo-2-propenyl)oxy]-, methyl sulfate, homopolymer (9CI) (CA INDEX NAME)


CM 1

CRN 33611-56-2  
CMF C9 H18 N O2



CM 2

CRN 21228-90-0  
CMF C H3 O4 S



L78 ANSWER 26 OF 27 HCAPLUS COPYRIGHT 2002 ACS  
AN 1985:137574 HCAPLUS  
DN 102:137574  
TI Mixtures of quaternary polymeric ammonium salts and of a ternary surfactant system based on nonionic, anionic and amphoteric surfactants for conditioning shampoos  
IN Moldovanyi, Laszlo; Fearnley, Charles  
PA Ciba-Geigy A.-G. , Switz.  
SO Eur. Pat. Appl., 61 pp.  
CODEN: EPXXDW  
DT Patent  
LA German  
IC A61K007-06  
CC 62-3 (Essential Oils and Cosmetics)  
FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	EP 127580	A2	19841205	EP 1984-810253	19840524
	EP 127580	A3	19860625		

R: BE, CH, DE, FR, GB, IT, LI, NL

JP	59227994	A2	19841221	JP 1984-109742	19840531
PRAI	CH 1983-2964		19830531		

AB A mixt. of polymeric (mol. wt. 103-109) quaternary ammonium salts with a ternary surfactant system forms a clear complex system that ppts. on diln. with H2O and spreads evenly on the hair during shampooing to give a conditioning effect that is superior to that found with cream or opaque formulations. The shampoo contains 0.05-2% of the ammonium salt and 4-40% of the ternary surfactant system, which has a nonionic/anionic/amphoteric component ratio of 1:0.02-6.0:0.2-4.0. Thus, a viscous soln. of 2 parts acrylamide-2-methacryloyloxyethyl trimethylammonium chloride copolymer [35429-19-7] (45% with mol. wt. 107-109) in 100 parts H2O at 20.degree. was stirred into a soln. of 50 parts C12-18 alkanoyl aminopropylbetaine amphoteric surfactant at 20.degree. followed by a soln. of 80 parts polyoxyethylene-polyoxypropylene [9003-11-6] nonionic surfactant in 320 parts H2O and then a soln. of 10 parts triethanolamine lauryl sulfate [139-96-8] in 10 parts H2O at 35.degree. was added over 90 min. The soln. was dild. with 328 parts H2O, 10% citric acid was added to pH 5.5, and addnl. H2O was added to 1000 parts of a completely clear prepn. Diln. 1:3 with H2O gave an opalescent to creamy appearance. The soln. improved the wet combability of hair when used as a shampoo.

ST shampoo conditioning surfactant polymer; hair conditioner quaternary acrylic polymer; surfactant quaternary polymer hair

IT Carbohydrates and Sugars, compounds

RL: BIOL (Biological study)

(alkyl and polyoxyethylene ethers, conditioning shampoos contg. amphoteric and anionic surfactants and quaternary ammonium polymers and)

IT Ethers, biological studies

RL: BIOL (Biological study)

(conditioning shampoos contg. amphoteric and anionic surfactants and quaternary ammonium polymers and)

IT Fatty acids, esters

RL: BIOL (Biological study)

(ethoxylated, conditioning shampoos contg. quaternary ammonium polymers and)

IT Quaternary ammonium compounds, polymers

RL: BIOL (Biological study)

(polymers, conditioning shampoos contg. surfactants and)

IT Acrylic polymers, compounds

Polymers, compounds

RL: BIOL (Biological study)

(quaternized, salts, conditioning shampoos contg. surfactants and)

IT Betaines

RL: BIOL (Biological study)

(alkanoylaminopropyl, conditioning shampoos contg. anionic and nonionic surfactants and quaternary ammonium polymers and)

IT Betaines

RL: BIOL (Biological study)

(alkyl, conditioning shampoos contg. anionic and nonionic surfactants and quaternary ammonium polymers and)

IT Shampoos

(conditioning, quaternary ammonium polymers and surfactants in)

IT Alcohols, compounds

Amides, compounds

RL: BIOL (Biological study)



(fatty, ethoxylated, conditioning shampoos contg. quaternary ammonium polymers and)

IT 143-07-7D, esters with alkyl and polyoxyethylene sugar ethers 9003-11-6  
9004-81-3 25190-05-0 25322-68-3D, ethers with sugars 26027-38-3  
82332-32-9  
RL: BIOL (Biological study)  
(conditioning shampoos contg. amphoteric and anionic surfactants and quaternary ammonium polymers and)

IT 137-16-6 139-96-8 3088-31-1 3624-77-9 7308-16-9 14933-09-6  
14960-06-6 36574-66-0D, N-C12-18-acyl derivs. 42608-81-1 95677-93-3  
95709-60-7  
RL: BIOL (Biological study)  
(conditioning shampoos contg. anionic and nonionic surfactants and quaternary ammonium polymers and)

IT 107-64-2 112-80-1, biological studies 4574-04-3 9005-08-7  
36653-82-4  
RL: BIOL (Biological study)  
(conditioning shampoos contg. quaternary ammonium polymers and surfactants and)


IT 9004-34-6D, quaternary ammonium derivs. 26006-22-4 26062-79-3  
35429-19-7 65497-29-2 75345-27-6  
RL: BIOL (Biological study)  
(conditioning shampoos contg. surfactants and)

IT 26006-22-4 35429-19-7  
RL: BIOL (Biological study)  
(conditioning shampoos contg. surfactants and)

RN 26006-22-4 HCAPLUS  
CN Ethanaminium, N,N,N-trimethyl-2-[(2-methyl-1-oxo-2-propenyl)oxy]-, methyl sulfate, polymer with 2-propenamide (9CI) (CA INDEX NAME)

CM 1

CRN 79-06-1  
CMF C3 H5 N O




CM 2

CRN 6891-44-7  
CMF C9 H18 N O2 . C H3 O4 S

CM 3

CRN 33611-56-2  
CMF C9 H18 N O2



CM 4


CRN 21228-90-0  
CMF C H3 O4 S

Me-O-SO<sub>3</sub><sup>-</sup>

RN 35429-19-7 HCAPLUS  
CN Ethanaminium, N,N,N-trimethyl-2-[(2-methyl-1-oxo-2-propenyl)oxy]-,  
chloride, polymer with 2-propenamide (9CI) (CA INDEX NAME)

CM 1


CRN 5039-78-1  
CMF C9 H18 N O2 . Cl



● Cl<sup>-</sup>

CM 2

CRN 79-06-1  
CMF C3 H5 N O




L78 ANSWER 27 OF 27 HCAPLUS COPYRIGHT 2002 ACS  
AN 1983:581282 HCAPLUS  
DN 99:181282  
TI Agent for permanent setting of hair  
IN Wajaroff, Theodor; Hartmann, Peter  
PA Wella A.-G., Fed. Rep. Ger.  
SO Ger. Offen., 15 pp.  
CODEN: GWXXBX  
DT Patent  
LA German  
IC A61K007-09  
CC 62-3 (Essential Oils and Cosmetics)  
FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	DE 3207738	A1	19830908	DE 1982-3207738	19820304
	DE 3207738	C2	19870813		
	JP 58162513	A2	19830927	JP 1983-8612	19830120
	JP 02002854	B4	19900119		

GB 2116218 A1 19830921 GB 1983-3271 19830207  
 GB 2116218 B2 19851106  
 PRAI DE 1982-3207738 19820304  
 AB A liq., slightly thick hair permanent wave setting **compn.**  
 contains a cationic cellulose and/(or) poly(trimethylammoniummethyl  
 methacrylate) (I) [87635-01-6] or a polyacrylate, CM cellulose  
 [9004-32-4] and/(or) alginic acid [9005-32-7], an **alkanolamide**  
 and/(or) C12-18 **fatty** acyl dimethylammonium betaine. These  
**compns.** are used with **oxidizing** or reducing  
**agents.** A reducing agent-contg. **compn.** was prepd.  
 contg. poly(acrylic acid) (Carbynol 934) [9003-01-4] 1.0, coco  
**fatty acid diethanolamide** 0.4, Miranol CM [39340-87-9]  
 0.4, coco **fatty** acyl dimethylammoniumbetaine 0.7, ammonium  
**thioglycolate** (50% soln.) 23.7, (NH4)2CO3 3.0, NH4HCO3, 5.0,  
 perfume oil 0.2, and H2O 65.6 g.  
 ST hair permanent wave **compn**; acrylate hair permanent **compn**  
 ; betaine hair permanent **compn**; **fatty amide**  
 hair permanent **compn**  
 IT Imidazolium compounds  
 RL: BIOL (Biological study)  
 (1-[2-(carboxymethoxy)ethyl]-1-(carboxymethyl)-4,5-dihydro-2-norcoco  
 alkyl, hydroxides, inner salts, hair permanent wave-setting  
**compn.** contg.)  
 IT Betaines  
 RL: BIOL (Biological study)  
 (coco alkyldimethyl, hair permanent wave-setting **compn.**  
 contg.)  
 IT Amides, biological studies  
 RL: BIOL (Biological study)  
 (coco, N,N-bis(hydroxyethyl), hair permanent wave-setting **compn**  
 . contg.)  
 IT Hair preparations  
 (wave-setting, viscous **compns.** for, acrylates and  
 alkanolamides and betaines in)  
 IT 93-83-4 9003-01-4 9004-32-4 9005-32-7 25087-26-7 39340-87-9  
 53568-66-4 **87635-01-6** 87714-18-9  
 RL: BIOL (Biological study)  
 (hair permanent wave-setting **compn.** contg.)  
 IT **87635-01-6**  
 RL: BIOL (Biological study)  
 (hair permanent wave-setting **compn.** contg.)  
 RN 87635-01-6 HCAPLUS  
 CN Methanaminium, N,N,N-trimethyl-1-[(2-methyl-1-oxo-2-propenyl)oxy]-,  
 homopolymer (9CI) (CA INDEX NAME)

CM 1

CRN 44986-60-9  
 CMF C8 H16 N O2





Creation date: 03-05-2004  
Indexing Officer: TMCNEILL - TREMAIN MCNEILL  
Team: OIPEBackFileIndexing  
Dossier: 09881807

Legal Date: 08-06-2001

No.	Doccode	Number of pages
1	CTMS	1

Total number of pages: 1

Remarks:

Order of re-scan issued on .....